

Pricing & Reference Guide

Effective January 1, 2018 R0119 List Prices are in U.S. Dollars


Table of Contents

Ordering Information	4
Installation Guidelines for Fiberglass & Acrylic Fixtures	5
RODA Product Notes	5
CELESTA	.6-17
DRESDEN	18-21
TRESOR2	22-23
VINESSE LUX	24
VINESSE	25
ROTOLO	26
CANTOUR	27
COPPIA	28
EVO	29
ROLAIRE	30-31
GEOLUX	32-38
VONSE	39-43
PRECERIA	44-45
Warranty	47

Ordering Information

Each order must include a detailed drawing that shows unit height, width (A, A+B, or A+B+C) and any out of square conditions, notched panels and/or buttresses. Shower head location may be required, depending on the enclosure. Please refer to configurations and Notes/Options for specific restrictions, requirements and recommendations for each RODA collection. Special design requests can be accommodated at an additional charge.

Build the complete model number by selecting the RODA collection code, Header code, and configuration number. Add the Glass code and then the Finish code. Glass and Finish Options differ for each unit. Please note available selections shown throughout this price list. In addition custom designs are available, please contact Customer Service for more information - 1-800-45-BASCO (800-452-2726) or customerservice@bascoshowerdoor.com.



RODA Collection (Code)

Cantour (CAN) Celesta (CEL) Coppia (COP) Dresden (DRE) Evo (EVO) Geolux (GEO)

Preceria (PRE) Rolaire (ROL) Rotolo (RTL) Tresor (TRE)

Vinesse (VIN) Vinesse Lux (VNX)

Vonse (VON)

Header/Options (Code)

Header (H)

No Header (N)

No Header/Pivot Hinges (NP)

No Header/Diagonal Top (ND)

No Header/Curved Top (NC)

No Header/Straight Top (NS)

Standard Sized/Value Priced (A)

Bottom Roller (B)

Glass Options (Code)

OPPOSITION Clear (XP)*

Clear (CL)

Pure Clear (PC)

Pure Clear ShowerGuard (PG)

Pure Silk (PS) Rain (RN)

ShowerGuard Clear (CG)

Silk (LK)

Silk Panel(s)/Clear Door (KK)

Strata (SR)

Tempest (TM)

Vessence (VS)

*To add AquaGlideXP at the factory to any non-Clear/patterned glass option, prefix the RODA collection code with (AG). See Dresden example below.

Finish Options (Code)

Almond (AP)

Antique Pewter (QP)

Bronze (BR)

Brushed Bronze (BB)

Brushed Gold (BG)

Brushed Nickel (BN)

Brushed Stainless (BS) Burnished Copper (CU)

Chrome (SV) or (PM)

Matte Black (WI)

Oil Rubbed Bronze (OR)

Polished Nickel (PN)

Satin Nickel (SN)

White (WP)

Examples:

GEON-950RNQP

Geolux, No header, Door and Panel with Return Panel, Rain Glass, Antique Pewter Finish

ROLH-935CLBS

Rolaire, Header, Door and Panel, Clear Glass, Brushed Stainless Finish

AGDREH-900VSWI

Dresden, Header, Swing Door, Vessence Glass, Wrought Iron Finish, with factory applied AquaGlideXP (denoted by AG before the Roda collection code)

Installation Guidelines for Fiberglass & Acrylic Fixtures

Our intent at Basco is to ensure that our customers have access to the products they desire based on their style and preferences. As such, please refer to these guidelines for installing heavy glass doors on fiberglass and acrylic substrates.

Structural Support Guidelines

- A Celesta/Roda door on acrylic or fiberglass requires proper blocking to ensure stability.
- A single 2 X 4 stud is needed behind the wall where the header meets the wall on top and bottom pivot units
- A double 2 X 4 stud is needed behind the wall on the hinge side for wall mount hinges.
- A double 2 X 4 stud is needed at the threshold for hinge mounting and support of the weight.

Precautionary Guidelines


- When the U-Channel or glass clamp is screwed into the threshold, the weight of the glass sits on top of the screws, necessitating the structural support.
- Without proper structural support, when the panel or door is moved this could cause the screws to move slightly. Over time, this slight movement enlarges the hole the screw is in and eventually cracks (spider webs) the gelcoat or acrylic and begins to break down the fiberglass backing.
- Acrylic or fiberglass walls have blocking installed by the manufacturer. However, the location of that
 backing may not match the location of where holes need to be drilled for vertical u-channel, wall mount
 hinges, and headers.
- Without proper backing behind the walls the door or panel(s) will eventually slip out of the thin walls.

RODA Product Notes

- Products will be produced using industry best practices and techniques for all hardware, gaps and spacing deductions, horizontal and vertical securing, etc.
- The base and walls for any RODA unit(s) must be constructed with proper wood blocking prior to installation to ensure the weight of the enclosure is properly supported as it may result in product failure. At minimum, 2 x 4 blocking is required at the location of any structural member of the unit including, but not limited to: hinges, clamps, and header brackets. All fasteners at these locations are required to be installed into the blocking. Basco is not liable for cracks on the fiberglass or acrylic modules or product failure of any kind that results from inadequate blocking.
- Depending of the panel size and or door hinge layout, a support bar or header may be required for proper stability.
- Floor to Ceiling panel(s) will be manufactured to be lift and drop when using U-Channel as the horizontal securing method unless noted otherwise.
- Safety tempered glass cannot be cut and is resistant to breakage, but it is susceptible to breakage if
 improperly handled through unequal pressure or if an unprotected edge comes in contact with any solid
 surface. Basco is not liable for breakage after installation is completed.



Shower Screens





Stationary Panel Value Priced Selection:	3/8" Clear Glass	Unit Width (A):			
CELA-910	Chrome Finish	24"	30"	36"	
 Stationary Panel with Bottom U-Channel, one top glass clamp. 30" x 60" (Panel: 29³/₄" x 59¹³/₁₆") 30" x 76" (Panel: 29³/₄" x 75¹³/₁₆") 36" x 76" (Panel: 35³/₄" x 75¹³/₁₆") 	Unit 60"	-	445	-	
Available in Clear glass only. No modifications to size or hardware. See below for custom options.	Height: 76"	445	475	514	

Glass Option: Add \$111 AquaGlideXP Clear Glass (XP)


	ear Glass / Chron	ne Finish						idth (A)	•	00"
Stationar	y Panel Model:					20"	24"	28"	32"	36"
CELN-91	0				60"	596	659	722	780	840
I	y Panel with Bottom U-0	Channel & One top glass			64"	611	671	734	793	854
clamp.				Unit	68"	624	687	748	809	870
				Height	72"	639	701	763	824	887
				Up To:	76"	653	713	777	840	901
					80"	664	728	791	854	918
					84"	679	742	806	870	934
Contact Cus	tomer Service for additiona	al information & sizes.			96"	845	908	971	1035	1099
Glass	Add \$111	Add \$139	Ad	d \$194	\$194 Add \$194		Add \$273			
Options:	Options: AquaGlideXP Clear Rain* (RN), Silk (LK), Strata* (SR), Vessence* (VS)					erGuard ar (CG)	Pure Clear ShowerGuard Pure Silk (PS), Tempest*			

Single Swing Panel Value Priced Selection: CELA-920	3/8" Clear Chrome Fi		S Un 24"	Unit Width (A): 24" 30"		
 Swing Panel with two Celesta hinges, and a back-to-back knob. 30" x 60" (Door: 30" x 59⁹/16") 24" x 76" (Door: 24" x 75⁹/16") 36" x 76" (Door: 36" x 75⁹/16") 	Unit	60"	-	609	-	
Available in Clear glass only. No modifications to size or hardware. See below for custom options.	Height:	76"	609	629	668	
Glass Option: Add \$111 AquaGlideXP Clear Glass (XP)						

3/8" Cle	ear Glass / Chron	ne Finish					Unit Wi	idth (A) l	Јр То:	
Single Sw	ving Panel:					20"	24"	28"	32"	36"
CELN-920)				60"	716	779	842	899	959
Maximum	Swing Panel is 36".				64"	730	790	853	913	974
	9			Unit	68"	743	806	868	929	989
				Height	72"	759	821	882	943	1005
				Up To:	76"	772	832	896	959	1021
					80"	783	848	911	974	1038
					84"	798	861	926	990	1053
Contact Cus	tomer Service for additiona	l information & sizes.			96"	956	1026	1090	1154	1218
Glass	Add \$111	Ad	d \$194	Add \$194		Add \$273				
Options:	AquaGlideXP Clear (XP)	Rain* (RN), Silk (LK), Strata* (SR), Vessence* (VS)				ShowerGuard Clear (CG)		Pure Clear ShowerGuard Pure Silk (PS), Tempest		



Shower Screens





Stationary Panel/Swing Panel Value Priced Selections:	3/8" Clear Glass	Unit		
CELA-930	Chrome Finish	36"	45"	54"
● Swing Panel with two Celesta hinges, and a back-to-back knob.				0.
Panel requires support bar.	Linit 60"	_	852	_
• 45" x 60" (Door: 30" x 59 ⁹ /16", Panel: 14 ⁵ /8" x 59 ¹³ /16")	Unit	_	002	· I
• 36" x 76" (Door: 24" x 759/16", Panel: 115/8" x 75 ¹³ /16")	Height:			
• 45" x 76" (Door: 30" x 75 ⁹ /16", Panel: 14 ⁵ /8" x 75 ¹³ /16")				
54" x 76" (Door: 36" x 75 ⁹ /16", Panel: 23 ⁵ /8" x 75 ¹³ /16") Available in Clear glass only. No modifications to size or hardware. See	76"	863	877	892
below for custom options.				
bolow for oddtom options.				
Glass Option: Add \$221 AquaGlideXP Clear Glass (XP)				
Aud \$221 AquadilueAP Clear Glass (AP)				

	ear Glass / Chron y Panel & Swing Par			Unit Width (A) Up To: 44" 52" 60" 68" 76" 84" 96"							
Maximum	CELN-930 ■ Maximum Swing Panel width is 36" ■ Minimum stationary panel size is 12".			72" 76" 80" 84"	1118 1137 1154 1397	1138 1175 1186 1441	1216 1254 1265 1484	1351 1390 1399 1551	1460 1475 1485 1617	1564 1607 1645 1773	1752 1794 1833 1961
Contact Cus	stomer Service for additiona	al information & sizes.		96"	1584	1628	1672	1738	1805	1961	2066
Glass Options:	Add \$221 AquaGlideXP Clear (XP)	Add \$273 Rain* (RN), Sil Strata* (SR), Vesso	k (LK),	Pui	Id \$387 re Clear (PC) Add \$387 ShowerGuard Clear (CG)		Add \$680 Pure Clear ShowerGuard Pure Silk (PS), Tempest*			, ,	

Celesta CELN-910/920/930 Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any out of square conditions or notched panel(s). No additional charges apply.

Door & Panel(s) enclosures with no header (CELN units) may require additional structural support. When using wall mount hinges, 36" is the maximum panel width before a support bar is needed. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for each unit.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 910/920 unit or \$221.00 for a 930 unit. AquaGlideXP Clear is shown above.

14" Radius Corner Option - add \$105.00, **Angled Ceiling** or **Floor to Ceiling** - add \$111.00, **Transom** (each) - add \$256.00, **Swing Out Only** (SCV913 or SCV905) or **1/2 Moon Dam** (SC889) - add \$39.00.


For CELN units only, a **Single-Sided Towel Bar** can be added to the door panel or the stationary panel for an additional \$129.00 per bar. For a **Back-to-Back Towel Bar** - add \$256.00. A **Combination Pull Handle/Towel Bar** is also available - add \$129.00. For each **Robe Hook** - add \$111.00.

Series Changes (non-Celesta): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00

To **upgrade to 1/2"** Clear, AquaGlideXP Clear, Silk, Pure Clear, Pure Silk, ShowerGuard Clear or Pure Clear ShowerGuard glass, add \$193.00/panel to list price.

Finish Sele	ections:	Shown Above:	Chrome (SV)	Add	l \$132:	Brushed Nick	kel (BN), Oil R	lubbed Bronze (OR),	
Add \$273:	Almond (AF	P), Antique F	ewter (QP),	Bronze ((BR),	Brushed Bro	nze (BB),	Brushed Gold (BG),	
	Burnished (Copper (CU),	Polished Nick	el (PN),	Satin I	Vickel (SN),	White (WP)	, Matte Black (WI)	






3/8" Cle	ar Glass / Chron	ne Finish					Unit W	idth (A) I	Up То:	
Single Sw	ing Model:					20"	24"	28"	32"	36"
CELN-900)				60"	776	838	899	959	1018
	opening is 36".				64"	788	851	913	973	1033
	Spsg .e .e .			Unit	68"	804	866	927	987	1049
				Height	72"	818	879	941	1003	1064
				Up To:	76"	830	893	956	1018	1081
					80"	844	908	970	1033	1097
					84"	856	921	984	1049	1111
Contact Cus	tomer Service for additiona	l information & sizes.			96"	1022	1087	1150	1215	1276
Glass Options:	Add \$111 AquaGlideXP Clear (XP)	ld \$194 re Clear (PC)	Shov	d \$194 verGuard Pure Clear Show ar (CG) Pure Silk (PS), Te		howerGu	` '			

3/8" Cle	ear Glass / Chron	ne Finish		Unit Width (A) Up To: 44" 52" 60" 68" 72"						
	2/CELN-922				72"	1406	1536	1665	1795	1941
	n width is 72". Maximum 3 for any additional pane		Unit	76"	1427	1560	1690	1821	1972	
γιαα ψ2ος	o for any additional pane	,,,		Height Up To:	80"	1449	1582	1716	1848	2002
					84"	1470	1606	1740	1877	2032
Contact Cus	tomer Service for additions	al information & sizes.			96"	1718	1855	1989	2125	2280
Glass Options:	Add \$221 AquaGlideXP Clear (XP)	Pur	d \$387 re Clear (PC)	Show	d \$387 /erGuard ar (CG)		Add \$680 Pure Clear ShowerGua Pure Silk (PS), Tempes			

Finish Sele	ections:	Shown	Above:	Chrome (SV)	Add	l \$132:	Brushed Nic	kel (BN), Oil R	ubbed Bronze (OR),	
Add \$273:	Add \$273: Almond (AP), Antique		Antique P	ewter (QP),	Bronze ((BR),	Brushed Bro	onze (BB),	Brushed Gold (BG),	
	Burnished Copper (CU),		(CU),	Polished Nick	el (PN),	Satin I	Nickel (SN),	White (WP),	Matte Black (WI)	







3/8" Cle	ear Glass / Chrondels:	ne Finish		44"	Unit Width (A) Up To: 44" 52" 60" 68" 76" 84" 96						
CELH-92	025/CELN-925			72"	1406	1536	1665	1795	1941	2090	2338
	n door width is 36". Sele	Height o To:	76"	1427	1560	1690	1821	1972	2123	2370	
IIIIIII avaii	limit available door width.				1449	1582	1716	1848	2002	2154	2402
		Unit F Up	84"	1470	1606	1740	1877	2032	2187	2434	
Contact Cus	stomer Service for additiona		96"	1718	1855	1989	2125	2280	2434	2434	
Glass Options:	tions: AquaGlideXP Clear Rain* (RN), Silk (L		Add \$273 Rain* (RN), Silk (LK), trata* (SR), Vessence* (VS) (PC)			Add \$387 ShowerGuard Clear (CG)		Add \$680 Pure Clear ShowerGuard Pure Silk (PS), Tempest* (

Celesta 900/922/925 Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any out of square conditions or notched panel(s). No additional charges apply.

Door & Panel(s) enclosures with no header (CELN units) may require additional structural support. When using wall mount hinges, 36" is the maximum panel width before a support bar is needed. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 922 unit or \$313.00 for a 925 unit.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900/910 unit or \$221.00 for a 922/925 unit. AquaGlideXP Clear is shown above.

Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913 or SCV905) or 1/2 Moon Dam (SC889) - add \$39.00.

A **Single-Sided Towel Bar** can be added to the door panel or the stationary panel for an additional \$129.00 per bar. For a **Back-to-Back Towel Bar** - add \$256.00. A **Combination Pull Handle/Towel Bar** is also available - add \$129.00. You may substitute a back-to-back knob instead of the handle for no additional charge. For each **Robe Hook** - add \$111.00.


Series Changes (non-Celesta): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00

To **upgrade to 1/2"** Clear, AquaGlideXP Clear, Silk, Pure Clear, Pure Silk, Shower Guard Clear or Pure Clear ShowerGuard glass, add \$193.00 per panel to list price.

Pricing above is based on standard Celesta hinges. If either (or both) offset hinge plate on wall mount hinge or offset closure angle on any hinge is required, add \$71.00 to list price. For other hinge options, please contact Customer Service.


Finish Sele	ections:	Shown Above:	Chrome (SV)	Add	\$132: Brushed Nicl	kel (BN), Oil Ru	ubbed Bronze (OR),	
Add \$273:	Almond (A	AP), Antique F	Pewter (QP),	Bronze (l	BR), Brushed Bro	onze (BB), E	Brushed Gold (BG),	
	Burnished	d Copper (CU),	Polished Nick	el (PN),	Satin Nickel (SN),	White (WP),	Matte Black (WI)	





Inline Door & Singl	e Panel Value Priced		/8" Clea		3	Unit Widths (A	A) Adjust from	n:
Selection:		C	hrome F	inish	45" - 46"	46 ¹ / ₁₆ " - 47"	57" - 58"	58 ¹ / ₁₆ " - 59"
CELA-935 Adjusta • Headerless design	ble Width	г		70"	ΦΩΕΩ	ФОЕС	Ф007	Ф007
• Door width is 28"	able Range (1 ¹ / ₂ " Wall &		Unit Height:	72"	\$956	\$956	\$997	\$997
Threshold U-Channe • Wall Mount Hinge	Ŭ ,		Ü	76"	\$972	\$972	\$1013	\$1013
	ass only. No modifications See next page for custom							
Glass Option:	Add \$221 AquaGlideXP C	lear	Glass (XP)					
Finish Selections:	Shown Above: Chrome (S	SV)	Ac	dd \$132 [Brushed Nicke	el (BN), Oil Rubbe	ed Bronze (OR)	







3/8" Cle	ear Glass / Chron	ne Finish					Unit W	/idth (A)	Up To:		
Inline Do	or & Single Panel Mo	odels:			44"	52"	60"	68"	76"	84"	96"
	5/CELN-935			72"	1172	1281	1386	1496	1619	1741	1962
	Maximum door width is 36". Selected hinge type may limit available door width.			76"	1189	1299	1409	1519	1644	1770	1990
mriic avan				80"	1208	1319	1430	1541	1667	1796	2016
			Up To:	84"	1225	1339	1452	1564	1693	1822	2043
Contact Cus	stomer Service for additiona	al information & sizes.	!	96"	1445	1560	1672	1784	1914	2043	2043
Glass Options:	htions: AquaGlideXP Clear Rain* (RN), Silk			(LK), Pu		ar ShowerGuard		Add \$680 Pure Clear ShowerGu			
	(XP) Strata* (SR), Vesser		ence* (VS)		(PC)	Clear (CG)		Pure Silk (PS), Tempest* (1		st* (TM)	

Celesta CELH/CELN-935 Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any out of square conditions or notched panel(s). No additional charges apply.

Door & Panel(s) enclosures with no header (CELN units) may require additional structural support. When using wall mount hinges, 36" is the maximum panel width before a support bar is needed. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for each unit.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$221.00 for a 935 unit. AquaGlideXP Clear is shown above.

Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913 or SCV905) or 1/2 Moon Dam (SC889) - add \$39.00.

A **Single-Sided Towel Bar** can be added to the door panel or the stationary panel for an additional \$129.00 per bar. For a **Back-to-Back Towel Bar** - add \$256.00. A **Combination Pull Handle/Towel Bar** is also available - add \$129.00. You may substitute a back-to-back knob instead of the handle for no additional charge. For each **Robe Hook** - add \$111.00.


Series Changes (non-Celesta): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00

To **upgrade to 1/2"** Clear, AquaGlideXP Clear, Silk, Pure Clear, Pure Silk, Shower Guard Clear, or Pure Clear ShowerGuard glass, add \$193.00/panel to list price.

Pricing above is based on standard Celesta hinges. If either (or both) offset hinge plate on wall mount hinge or offset closure angle on any hinge is required, add \$71.00 to list price. For other hinge options, please contact Customer Service.

VE Door Blank (see page 46 for specifications and limitations) - deduct \$250.00 from list price.


Finish Sel	ections:	Shown Above:	Chrome (SV)	Add	1 \$132: Br	rushed Nick	el (BN), Oil R	ubbed Bronze (OR),	
Add \$273:	Almond (A	AP), Antique	Pewter (QP),	Bronze	(BR), E	Brushed Bro	nze (BB),	Brushed Gold (BG),	
	Burnished	d Copper (CU),	Polished Nick	kel (PN),	Satin Nic	ckel (SN),	White (WP),	Matte Black (WI)	



3/8" Cle	ear Glass / Chron	ne Fi	nish					Unit W	/idth (A	+B) Ur	To:			
Return Pa	anel Models:			46"	54"	62"	70"	78"	86"	94"	102"	110"	120"	166"
 Maximum 	5/CELN-945 door width is 36".		72" <u>본</u>	1587	1720	1852	1984	2117	2252	2382	2543	2649	2779	3055
Selected hinge type may limit available door width.			Height 5 76"	1612	1747	1882	2015	2150	2284	2419	2580	2686	2821	3097
	CELH-950/CELN-950 • Maximum door width is 36".		Fig. 2, 80, 80, 80, 80, 80, 80, 80, 80, 80, 80	1637	1773	1909	2046	2181	2320	2454	2620	2727	2865	3141
available o	hinge type may limit door width. 3 for any additional pane	N.	84"	1662	1799	1938	2077	2214	2354	2490	2659	2768	2908	3184
• Aud \$250	nor any additional pane	÷1.	96"	1937	2075	2214	2352	2489	2630	2766	2935	3043	3184	3184
								Contact Custome		mer Serv	ice for ad	ditional in	formatior	n & sizes.
Glass	Hass Add \$221		Add 9	\$409		Add	\$524	Ad	d \$524			Add \$9	952	
Options:	AquaGlideXP Clear	R	Rain* (RN),	, Silk (L	-K),	Pure	Clear	Shov	verGuar		ure Clea			
Optionsi	(XP)	Strat	Strata* (SR), Vessence			(PC)		Clear (CG)		F	Pure Silk (PS), Ter		empest	* (TM)

Finish Sele	ections:	Shown Above	: Chrome (SV)	Add	d \$132: Brushed	Nickel (BN), Oi	l Rubbed Bronze (OR),	
Add \$273:	Almond (A	AP), Antique	Pewter (QP),	Bronze	(BR), Brushed	Bronze (BB),	Brushed Gold (BG),	
	Burnished	d Copper (CU),	Polished Nick	el (PN),	Satin Nickel (SN), White (W	P), Matte Black (WI)	







3/8" Cle	ear Glass / Chron	ne Finish					Ur	it Widt	h (A+	B+C) Up	То:		
Neo Angle	e Models:				62"	70"	78"	86"	94"	102"	110"	120"	176"
	0/CELN-960 n door width is 36". Sele	cted	<u>t</u>	72"	2081	2204	2327	2450	2574	4 2697	2819	2945	3220
	e may limit available dod 3 for any additional pane		it Height Up To:	76"	2113	2238	2363	2488	2610	3 2738	2862	2988	3263
			Unit	80"	2145	2272	2398	2525	2652	2 2778	2906	3033	3308
				84"	2176	2304	2434	2564	269	1 2820	2949	3078	3354
Contact Cus	stomer Service for additiona	I information & sizes.		96"	2452	2579	2709	2839	2967	7 3096	3225	3354	3354
Glass Options:	AguaClidoYP Cloar Pain* (PN)				Pure	1 \$524 e Clear PC)	Shov	d \$524 verGuai ar (CG)		Pure Clea		erGuar	` '

Celesta 945/950/960 Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any out of square conditions or notched panel(s). No additional charges apply.

Door & Panel(s) enclosures with no header (CELN units) may require additional structural support. When using wall mount hinges, 36" is the max. panel width before a support bar is needed. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 945 unit or \$313.00 for a 950/960 unit.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$221.00 for a 945/950/960 unit. AquaGlideXP Clear is shown above.

Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913 or SCV905) or 1/2 Moon Dam (SC889) - add \$39.00.

A **Single-Sided Towel Bar** can be added to the door panel or the stationary panel for an additional \$129.00 per bar. For a **Back-to-Back Towel Bar** - add \$256.00. A **Combination Pull Handle/Towel Bar** is also available - add \$129.00. You may substitute a back-to-back knob instead of the handle for no additional charge. For each **Robe Hook** - add \$111.00.

Series Changes (non-Celesta): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00

To **upgrade to 1/2"** Clear, AquaGlideXP Clear, Silk, Pure Clear, Pure Silk or Shower Guard Clear, or Pure Clear ShowerGuard glass, add \$193.00/panel to list price.

Mitering for glass-to-glass edge is available for CELH-950/CELN-950 - add \$428.00.


Pricing above is based on standard Celesta hinges. If either (or both) offset hinge plate on wall mount hinge or offset closure angle on any hinge is required, add \$71.00 to list price. For other hinge options, please contact Customer Service.

VE Door Blank (see page 46 for specifications and limitations) - deduct \$250.00 from list price.

Finish Sele	ections:	Shown	Above:	Chrome (SV)	Add	\$132:	Brushed Nicke	el (BN), Oil F	Rubbed Bronze (OR),	
Add \$273:	Almond (A	AP),	Antique P	ewter (QP),	Bronze (E	3R),	Brushed Bron	nze (BB),	Brushed Gold (BG),	
	Burnished	d Coppe	er (CU),	Polished Nicke	el (PN),	Satin	Nickel (SN),	White (WP)	, Matte Black (WI)	



Glass to Glass Pivot Hinges Wall Mount Pivot Hinges






3/8" Cle	ear Glass / Chron	ne Finish					Unit W	idth (A) l	Up То:	
Single Sw	ving Model:					20"	24"	28"	32"	36"
CELNP-9	00				60"	997	1059	1120	1180	1238
• Wall Mou	nt Pivot Hinges only.				64"	1008	1071	1133	1193	1253
Maximum	opening is 36".			Unit	68"	1024	1086	1147	1208	1270
				Height Up To:	72"	1039	1100	1162	1224	1285
				Op 101	76"	1050	1113	1176	1238	1301
					80"	1064	1128	1190	1253	1317
Contact Cus	tomer Service for additiona	al information & sizes.			84"	1077	1142	1205	1270	1332
Glass Options:	Add \$111 AquaGlideXP Clear (XP)	Add \$139 Rain* (RN), Silk (LK), Strata* (SR), Vessence* (VS)	Pur	ld \$194 re Clear (PC)	Shov	d \$194 verGuard ar (CG)	1			uard (PG) est* (TM)

3/8" Clear GI	ass / Chrom	e Finish				Unit Width (A) Up To:						
Inline Door & Si	ngle Panel Mo	del:				44"	52"	60"	68"	76"	84"	96"
CELNP-935 Choose from Wa Glass Pivot Hinge Maximum door we Minimum stations	es. vidth is 36" . ary panel size is 6	".		Unit Height Up To:	72" 76" 80" 84"	1393 1410 1428 1445	1540	1607 1629 1650 1672	1716 1739 1761 1784	1839 1864 1887 1914	1962 1990 2016 2043	2182 2211 2237 2263
Wall Mount Pivot Hinge	Add \$221 AquaGlideXP	Ad Rain* (F	dd \$273 RN), Sill	d \$273 N), Silk (LK),		dd \$387 ure Clear	Show	d \$387 verGuard	Pure Clear Sh			
Glass Options: Glass to Glass Pivot Hinge Glass Options:	Add \$221 Add \$221 Add \$221 Add \$221 Add \$221			Add \$2/3		(PC) \$387 Clear PC)	87 Add \$387		Pure Silk (PS), Temp Add \$680 Pure Clear ShowerG Pure Silk (PS)			ard (PG)

3/8" Clear Do	or & 1/2" Clear Adjoi			Glass/		Unit Width (A) Up To:						
Inline Panel/Dod	or/Panel Model: Chro	me Fini	sh		44"	52"	60"	68"	76"	84"	96"	
CELNP-925 • Glass to Glass Pi	vot Hinge only.		Height	72"	1627	1756	1885	2015	2161	2310	2558	
 Maximum door w 	Maximum door width is 36". Minimum stationary panel size is 6".				1648	1780	1910	2042	2193	2343	2591	
Minimum stationa					1670	1802	1937	2069	2222	2375	2622	
			Unit	84"	1691	1826	1961	2097	2253	2407	2655	
Contact Customer Se	ervice for additional information &	sizes.										
Glass to Glass Pivot Hinge Glass Options:	ivot Hinge Add \$221 Add \$2			Add \$3 Pure Cl (PC)	ear	Add \$ Shower Clear	Guard	Pure (Clear Sh	I \$680 owerGua Silk (PS)	ard (PG)	



Glass to Glass Pivot Hinges Wall Mount Pivot Hinges





3/8" Clear Gla	ass / Chrom	e Fir	nish						Unit Wi	dth (A+	B) Up ⁻	Го:			
Return Panel Mo	odels:				46"	54"	62"	70"	78"	86"	94"	102"	110"	120"	166"
CELNP-945 • Wall Mount Pivot • Maximum door w			ght :	72" 76"	1808 1833	1941 1967	2072 2103	2204 2236		2472 2505	2602 2639	2763 2801	2869 2907	2999 3041	3275 3317
CELNP-950 Choose from Wall Mount Pivot Hinges or Glass to Glass Pivot Hinges. Maximum door width is 36".			Unit H Up	80" 84"	1858 1882	1993	2130 2158	2266 2298		2540 2574	2675 2711	2841 2880	2948 2989	3085 3128	3362 3405
Minimum stationaAdd \$256 for each	, ,								Contac	t Custom	er Service	e for addi	tional info	rmation a	& sizes.
Wall Mount Pivot Hinge Glass Options:	vot Hinge AquaGlideXP Rain* (R				Add \$409 Rain* (RN), Silk (LK), rata* (SR), Vessence* (V			\$524 Clear C)	Add \$524 ShowerGuard Clear (CG)		1	Add \$99 Pure Clear Showe Pure Silk (PS), Tel		verGuard (PG)	
Glass to Glass Pivot Hinge Glass Options:	ivot Hinge			Add \$409		9 ,	Add \$524 Pure Clear (PC)		Add \$524 ShowerGuard Clear (CG)		Pur	Add \$952 Pure Clear ShowerGuard (Popure Silk (PS)			(PG)

Celesta 900/925/935/945/950 Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any **out of square conditions** or **notched panel(s)**. No additional charges apply.

Pivot Hinge extends 5/8" beyond the Unit Height.

CELNP units may require additional structural support. 36" is the maximum panel width before a support bar is needed. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 935/945 unit or \$313.00 for a 925/950 unit.

Units with Glass to Glass pivot hinges feature 3/8" glass door and 1/2" glass on adjoining panels. Units with Wall Mount pivot hinges feature 3/8" glass door & panel(s).

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900 unit or \$221.00 for a 925/935/945/950 unit. AquaGlideXP Clear is shown above.


Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913 or SCV905) or 1/2 Moon Dam (SC889) - add \$39.00.

A **Single-Sided Towel Bar** can be added to the door panel or the stationary panel for an additional \$129.00 per bar. For a **Back-to-Back Towel Bar** - add \$256.00. A **Combination Pull Handle/Towel Bar** is also available - add \$129.00. You may substitute a back-to-back knob instead of the handle for no additional charge. For each **Robe Hook** - add \$111.00.


Series Changes (non-Celesta): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00

Mitering for glass-to-glass edge is available for CELNP-950 - add \$428.00.

Finish Sele	ections:	Shown Above:	Chrome (SV)	Add	 \$132: Br	rushed Nick	el (BN), Oil R	ubbed Bronze (OR),	
Add \$273:	Almond (AF	P), Antique F	Pewter (QP),	Bronze (BR), B	Brushed Bro	nze (BB),	Brushed Gold (BG),	
	Burnished	Copper (CU),	Polished Nick	el (PN),	Satin Nic	ckel (SN),	White (WP),	Matte Black (WI)	



Bypass Tub Enclosures



3/8" Clear Glass Unit Width (A): Inline Sliding Tub Enclosure Value Priced Selection **Chrome Finish** 56" - 60" CELA-2850-60 Fits openings between 56" - 60". Available in Clear glass only. No modifications to size or Unit Height: 581/4" \$851 hardware. See below for custom options. Add \$158 AquaGlideXP Clear Glass (XP) **Glass Option:** Finish Selections: **Shown Above:** Chrome (SV) Add \$132: Brushed Nickel (BN), Oil Rubbed Bronze (OR), Add \$273: Almond (AP), Antique Pewter (QP), Bronze (BR), Brushed Bronze (BB), Brushed Gold (BG) Burnished Copper (CU), Satin Nickel (SN), White (WP), Matte Black (WI)


3/8" Cle	ear Glass/Chrome	e Finish					Unit Width	(A):
Inline Slic	ling Tub Enclosure N	flodels:				52" -	56"	56" - 60"
CELH-28	50			IIIL	58¹/₄" 64³/₄"	\$10 \$11		\$1085 \$1160
Glass Options: Add \$158 AquaGlideXP Clear (XP) Add \$135 Rain* (RN), Silk (LK), Strata* (SR), Vessence* (Add \$3 Pure C (PC)	lear	Add \$387 ShowerGuard Clear (CG)	Pure Clear	Add \$398 ShowerGuard (PG) PS), Tempest* (TM)

				SV	GD/BN/OR	All other Colours
SCX629	Tub/Curb Filler	Cut To Size	Each (Add \$30.00 for taper)	\$80	\$95	\$128
SCX647	Wall Filler	Cut To Size	Each (Add \$30.00 for taper)	\$78	\$93	\$126

Finish Sele	ections:	Shown Above:	Chrome (SV)	Add \$132	2: Brushed Nickel (BN),	Oil Rubbed Bronze (OR),
Add \$273:	Almond (A	AP), Antique l	Pewter (QP),	Bronze (BR),	Brushed Bronze (Bl	B), Brushed Gold (BG)
	Burnished	d Copper (CU),	Satin Nickel ((SN), White	e (WP), Matte Black	(WI)



Bypass Shower Enclosures





Inline Sliding Shower Enclosure Value Priced Selection CELA-3850-48 Fits openings between 44" - 48".	3/8" Clear Glas Chrome Finish	s Unit \ 44" - 48"	Width (A): 56" - 60"
CELA-3850-60 Fits openings between 56" - 60". Available in Clear glass only. No modifications to size or hardware. See below for custom options.	Unit 71 ¹ / ₄ "	\$809	\$924
Glass Option: Add \$158 AquaGlideXP Clear Glass (XP)			
Finish Selections: Shown Above: Chrome (SV), Add	\$132: Brushed Nickel (BN	l), Oil Rubbed Bronze	e (OR),
Add \$273: Almond (AP), Antique Pewter (QP), Bronze (Bl	R), Brushed Bronze (Bl	B), Brushed Gold	d (BG)
Burnished Copper (CU), Satin Nickel (SN), Wh	nite (WP), Matte Black	(VVI)	

3/8" Cle	ear Glass/Chrome	Finish				Unit Width (A):	:
Inline Slid	ling Shower Enclosu	re Models:			44" - 48"	52" - 56"	56" - 60"
CELH-38	50			643/4	, \$1080	\$1120	\$1160
			Unit Heights	71 ¹ / ₄ '	° \$1155	\$1195	\$1235
				76"	\$1245	\$1285	\$1325
Glass Options: Add \$158 AquaGlideXP Clear (XP) Add \$135 Rain* (RN), Silk (LK), Strata* (SR), Vessence* (N			Pu	ld \$387 re Clear (PC)	Add \$387 ShowerGuard Clear (CG)	Pure Clear Sho	\$398 owerGuard (PG) Tempest* (TM)

				SV	BN/OR	All other Colours
SCX629	Tub/Curb Filler	Cut To Size	Each (Add \$30.00 for taper)	\$80	\$95	\$128
SCX647	Wall Filler	Cut To Size	Each (Add \$30.00 for taper)	\$78	\$93	\$126

Celesta Bypass Enclosures Additional Notes/Options:

If tub/shower surface or walls are out of level beyond ³/₈" purchase tapered fillers (see above) for proper fit. Please specify taper size when ordering and add \$30.00.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$158.00 per unit. AquaGlideXP Clear is shown above.

For any variation to standard sizes add \$495.00 to the CELH-3850-48 (643/4" height) list price. (Max. size - 34 sq. ft., 72"w or 80"h).

Units feature two Celesta Towel Bars. You may substitute single sided Celesta Handles or Celesta Knobs at no charge (shower head side is required). Not available on Value Priced Selections.

Model Configurations/Numbers:
"H" in model number denotes unit with Header.
"N" in model number denotes unit with No Header. **DREH-935 DREN-935** DREN-900 DREH-922 DREN-922 DREH-925 **DREN-925** Door Α

Α




Single Swing Mod DREN-900	el:						Unit Width (A) Up To:				
DREN-900					20"	24"	28"	32"	36"		
					60"	1278	1310	1341	1373	1511	
Maximum opening is	s 36".				64"	1293	1325	1356	1388	1528	
l				Unit	68"	1307	1340	1373	1405	1544	
				Height	72"	1317	1351	1384	1422	1651	
				Up To:	76"	1330	1363	1402	1498	1667	
					80"	1338	1376	1419	1520	1689	
					84"	1351	1388	1436	1541	1710	
Contact Customer Service	ce for additiona	al information & sizes.			96"	1516	1553	1601	1707	1875	
Glass Ado		d \$194	I \$194 Add \$194				Add \$273				
Options: AquaGlic	_	e Clear ShowerGuard Pure Clear ShowerGuard (PC) Clear (CG) Pure Silk (PS), Tempest*									

	ear Glass / Chron						Ur	nit Width	ı (A) Up	То:	
Inline Do	or & Single Panel Mo			44"	52"	60"	68"	76"	84"	96"	
DREH-93	5/DREN-935			72"	1719	1791	1862	2099	2175	2246	2467
	Maximum door width is 36". Selected hinge type may				1745	1820	1896	2133	2214	2293	2513
iimit avaii	limit available door width.				1770	1850	1926	2171	2253	2335	2555
			Up To:	84"	1795	1881	1960	2210	2289	2381	2601
Contact Cus	stomer Service for additiona	al information & sizes.		96"	2015	2102	2180	2430	2510	2601	2601
Glass	AguaClidaVD Claar Dain* (DN) Cills (I		_K),		\$387 Add \$387 Add \$6 Clear ShowerGuard Pure Clear Show			*			
Options: (XP) Strata* (SR), Vessence					PC)						

	ear Glass / Chror	ne Finish					Unit \	Nidth (A) Up To:		
Inline Mo	dels:			44"	52"	60"	68"	76"	84"	96"	
	2/DREN-922			72"	2070	2141	2214	2417	2492	2568	2816
	 Maximum width is 72". Maximum width for each door is 36". Add \$256 for any additional panel. 					2171	2242	2454	2534	2619	2867
	5/DREN-925		t Height P To:	80"	2121	2196	2278	2496	2577	2666	2915
 Maximun 	n door width is 36". Sele	ected hinge type may limit	Unit	84"	2147	2225	2312	2538	2620	2718	2966
	available door width. Contact Customer Service for additional information & sizes.					2474	2560	2786	2869	2966	2966
Glass Add \$221 Add \$273				Add	\$387	Add 9	387	Add \$680			
Options:	Options: AquaGlideXP Clear Rain* (RN), Silk (LK				Clear	Shower		Pure Clear ShowerGuard (
	(XP) Strata* (SR), Vessence* (C)	Clear (CG)		Pure Silk (PS), Tempest* (T			t* (TM)

Finish Sele	ections:	Shown Above:	Chrome (SV)		Add \$132: Brushed Nickel (BN), Oil Rubbed Bronze (OR),					
Add \$273:	Almond (AP), Antique Pev		Pewter (QP),	Bronze (BR),	Brushed Bronze (BB),	Brushed Gold (BG)				
	Burnished	d Copper (CU),	Satin Nickel (S	SN), White (W	/P), Matte Black (WI)					

Model Configurations/Numbers: "H" in model number denotes unit with Header. "N" in model number denotes unit with No Header.





3/8" Cle	ear Glass / Chron	ne Fini	ish				Uı	nit Wid	th (A+E	B) Up T	o:			
Return Pa	Return Panel Models:					62"	70"	78"	86"	94"	102"	110"	120"	166"
	5/DREN-945	Height o To:	72"	2002	2370	2485	2640	2718	2821	2877	2931	3005	3215	3491
Selected	 Maximum door width is 36". Selected hinge type may limit 		76"	2027	2400	2518	2679	2760	2869	2928	2982	3063	3279	3555
	available door width.		80"	2053	2434	2556	2718	2801	2915	2974	3038	3118	3338	3614
Maximum	0/DREN-950 n door width is 36".	Unit	84"	2079	2467	2594	2755	2844	2961	3027	3093	3176	3401	3677
	hinge type may limit door width.		96"	2355	2743	2870	3031	3120	3237	3302	3368	3452	3677	3677
• Add \$256	• Add \$256 for any additional panel.							Conta	act Custo	mer Ser	vice for ac	lditional ir	nformation	n & sizes.
Glass	Glass Add \$221		Add \$409			Add	\$524	Ad	d \$524		Add \$952			
Options:	AquaGlideXP Clear			I), Silk (I			Clear	ShowerGuard			Pure Clear ShowerGuar			
	(XP)	Strata*	(SR), '	Vessend	ce* (VS)	(F	PC)	Clear (CG)		F	Pure Silk (PS), Tempest* (TI			* (TM)

3/8" Cle	3/8" Clear Glass / Chrome Finish					Unit Width (A+B+C) Up To:								
Neo Angle	e Models:			62"	70"	78"	86"	94"	102"	110"	120"	176"		
	0/DREN-960 n door width is 36". Sele	cted hinge type	72"	2691	2760	2821	2885	2950	3249	3314	3393	3669		
	available door width.	cted fillige type	eight To:	2733	2801	2869	2936	3008	3308	3376	3461	3737		
• Max. 70"	for each return panel.		1t He	2775	2848	2921	2992	3063	3368	3439	3527	3804		
			5 84"	2818	2894	2971	3047	3121	3428	3503	3597	3872		
Contact Cust	tomer Service for additional	information & sizes.	96"	3094	3169	3247	3322	3396	3703	3779	3872	3872		
Glass	Add \$221	Add \$		Ad	d \$524	A	dd \$524			Add S	952			
Options:	AquaGlideXP Clear	Rain* (RN),	Silk (LK),	Pur	e Clear	Sho	werGua	ard	Pure Cle	ar Shov	verGua	rd (PG),		
Optionsi	(XP)	Strata* (SR), Ve	ssence* (VS)	(PC)	CI	ear (CG	i)	Pure Sil	k (PS), ⁷	Tempes	t* (TM)		

Dresden Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any **out of square conditions** or **notched panel(s)**. No additional charges apply.



Optional
Back-to-Back
Dresden
Knob

Door & Panel(s) enclosures with no header (DREN units) may require additional structural support. When using wall mount hinges, 36" is the max. panel width before a support bar is needed. The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 922/935/945 unit or \$313.00 for a 925/950/960 unit.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900 unit or \$221.00 for a 922/925/935/945/950/960 unit. AquaGlideXP Clear is shown above.

Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913 or SCV905) or 1/2 Moon Dam (SC889) - add \$39.00.

You may substitute a back-to-back knob instead of the handle for no additional charge.


To **upgrade to 1/2"** Clear, AquaGlideXP Clear, Silk, Pure Clear, Pure Silk, ShowerGuard Clear, or Pure Clear ShowerGuard glass, add \$193.00 per panel to list price.

Series Changes (non-Dresden): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00

Mitering for glass-to-glass edge is available for DREH-950/DREN-950 - add \$428.00.



Glass to Glass Pivot Hinges Wall Mount Pivot Hinges






3/8" Cle	ear Glass / Chron	ne Finish					Unit W	idth (A) l	Jp То:	
Single Sw	ving Model:					20"	24"	28"	32"	36"
DRENP-9	00				60"	1499	1530	1562	1593	1732
• Wall Mou	nt Pivot Hinges only.			11.21	64"	1514	1545	1577	1608	1749
Maximum	opening is 36".			Unit Height	68"	1527	1561	1593	1626	1764
				Up To:	72"	1538	1571	1605	1643	1872
					76"	1550	1584	1623	1718	1887
					80"	1559	1596	1640	1740	1909
Contact Cus	tomer Service for additiona	al information & sizes.			84"	1571	1608	1656	1761	1930
Glass Options:	Add \$111 AquaGlideXP Clear (XP)	Add \$139 Rain* (RN), Silk (LK), Strata* (SR), Vessence* (VS)	Pur	d \$194 re Clear (PC)	Show	d \$194 verGuard ar (CG)				ard (PG), est* (TM)

3/8" Clear Gl	ass / Chrom	e Finish			Unit Width (A) Up To:							
Inline Door & Sir	ngle Panel Mod	del:				44"	52"	60"	68"	76"	84"	96"
DRENP-935 • Choose from Wal	ll Mount Pivot Hin	ges or Glass	-to-Glass	Unit	72"	1940	2011	2083	2320	2396	2467	2687
Pivot Hinges.			Heigh	nt 76"	1965	2041	2116	2354	2434	2513	2734	
	Maximum door width is 36". Minimum stationary panel size is 6".					1990	2070	2147	2391	2473	2555	2776
Contact Customer Se	ervice for additional	information & s	sizes.		84"	2015	2102	2180	2430	2510	2601	2822
Wall Mount Pivot Hinge Glass Options:	Pivot Hinge AquaGlideXP Rain* (RN), Silk				Pure	I \$387 e Clear ⊃C)	Add Showe Clear	rGuard	1	Add Clear Sho Silk (PS),		٠,,,
Glass to Glass Pivot Hinge Glass Options:	Pivot Hinge Add \$221 Add \$ Silk (887 lear	Add \$ Shower Clear (Guard	Pure C	Clear Sho	\$680 owerGua Silk (PS)	rd (PG),

	oor & 1/2" Clear Adjo			lass/	Unit Width (A) Up To:								
Inline Panel/Dod	or/Panel Model: CI	nrome Fini	sn		44"	52"	60"	68"	76"	84"	96"		
DRENP-925 • Glass-to-Glass P	ivot Hinge only.		Ħ	72"	2291	2362	2434	2637	2713	2788	3036		
Maximum door w			Height To:	76"	2315	2391	2463	2675	2755	2840	3087		
Minimum stationa	ary panel size is 6".		<u> </u>	80"	2342	2417	2498	2717	2798	2887	3136		
			J L L	84"	2367	2446	2532	2759	2841	2938	3186		
Contact Customer Se	ervice for additional information &	sizes.											
Glass to Glass Pivot Hinge Glass Options:	Add \$221 AquaGlideXP Clear (XP)	Add \$273 Silk (LK)		Add \$3 Pure Cle (PC)		Add \$3 Shower(Clear (Guard	Pure C	lear Sho	\$680 werGuar Silk (PS)	d (PG),		

Glass to Glass Pivot Hinges Wall Mount Pivot Hinges



3/8" Clear GI	ass / Chrom	e Fini	sh		Unit Width (A+B) Up To:									
Return Panel Me	odels:			46"	54"	62"	70"	78"	86"	94"	102"	110"	120"	166"
DRENP-945Wall Mount Pivot Maximum door w		Height o To:	72" 76"	2222 2247	2591 2620	2705 2739	2861 2900	2938 2980	3041 3090	3098 3148	3152 3203	3225 3284	3435 3499	3711 3775
DRENP-950	ll Mount Pivot	Unit He Up T	80"	2274	2655	2777	2938	3021	3136	3195	3259	3338	3559	3834
Hinges or Glass-to-Glass Pivot Hinges.				2300	2687	2814	2975	3064	3182	3247	3313	3396	3622	3897
Maximum door wMinimum stationaAdd \$256 for each	ary panel size is 6"							Conta	ict Custoi	mer Servi	ice for add	ditional ini	formation	& sizes.
Wall Mount Pivot Hinge Glass Options:	iin* (R	ld \$409 N), Silk , Vessen		Pure	\$524 Clear PC)	Shov	d \$524 verGuar ar (CG)			Add \$9 or Showe (PS), Te	erGuard			
Glass to Glass Pivot Hinge Glass Options: Add \$221 AquaGlideXP Clear (XP)				Add \$ Silk (I		Add \$5 Pure Cl (PC)		Showe	\$ 524 erGuard r (CG)	l Pu		Add \$9 or Showe Oure Silk	erGuard	d (PG),

Dresden 900/925/935/945/950 Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any **out of square conditions** or **notched panel(s)**. No additional charges apply.

Pivot Hinge extends 5/8" beyond the Unit Height.



DRENP units may require additional structural support. 36" is the maximum panel width before a support bar is needed. Adequate wall support (wall stud at screw location) is required. If additional clamps are requested but not required - add \$157.00 for a 935/945 unit or \$313.00 for a 925/950 unit.

Units with Glass to Glass pivot hinges feature 3/8" glass door and 1/2" glass on adjoining panels. Units with Wall Mount pivot hinges feature 3/8" glass door & panel(s).

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900 unit or \$221.00 for a 925/935/945/950 unit. AquaGlideXP Clear is shown above.

Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913 or SCV905) or 1/2 Moon Dam (SC889) - add \$39.00.

You may substitute a back-to-back knob instead of the handle for no additional charge.

Series Changes (non-Dresden): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00


Mitering for glass-to-glass edge is available for DRENP-950 - add \$428.00.

Finish Sele	ections:	Shown Abo	ve: Chrome (SV)		Add \$132: Brushed Nic	ckel (BN), Oil Rubbed Bronze (OR)
Add \$273:	Almond (A	AP), Antiqu	ue Pewter (QP),	Bronze (BR),	Brushed Bronze (BB),	Brushed Gold (BG)
	Burnished	d Copper (CU)	, Satin Nickel (SN), White (V	VP), Matte Black (WI)	

the TRESOR SERIES



Optional Back-to-Back Tresor Knob





3/8" Cle	ear Glass / Chron	ne Finish					Unit Wi	idth (A) I	Jp То:	
Single Sw	ving Model:					20"	24"	28"	32"	36"
TREN-90	0				60"	1278	1310	1341	1373	1511
	n opening is 36".				64"	1293	1325	1356	1388	1528
				Unit	68"	1307	1340	1373	1405	1544
				Height	72"	1317	1351	1384	1422	1651
				Up To:	76"	1330	1363	1402	1498	1667
					80"	1338	1376	1419	1520	1689
					84"	1351	1388	1436	1541	1710
Contact Cus	tomer Service for additiona	al information & sizes.			96"	1513	1553	1601	1707	1875
Glass Options:	Add \$111 AquaGlideXP Clear (XP)	Add \$139 Rain* (RN), Silk (LK), Strata* (SR), Vessence* (VS)	Pur	d \$194 re Clear (PC)	Show	d \$194 /erGuard ar (CG)		Clear Sh		ard (PG), est* (TM)

	ear Glass / Chron or & Single Panel Mo			44"	52"	Ur 60"	nit Width 68"	n (A) Up 76"	To: 84"	96"	
TREH-93	5/TREN-935			72"	1719	1791	1862	2099	2175	2246	2467
	n door width is 36". Sele available door width.	cted hinge type	Unit	76"	1745	1820	1896	2133	2214	2293	2513
	avallable deel matili		Height	80"	1770	1850	1926	2171	2253	2335	2555
			Up To:	84"	1795	1881	1960	2210	2289	2381	2601
Contact Cus	stomer Service for additiona	al information & sizes.		96"	2015	2102	2180	2430	2510	2601	2601
Glass Options:	AguaClidoVP Cloor Pain* (PN) Silly (\$387 Clear PC)	Add : Showe Clear	rGuard		Add Clear Sho Silk (PS),		

	ear Glass / Chron	ne Finish					Unit \	Width (A) Up To:		
Inline Mo	dels:			44"	52"	60"	68"	76"	84"	96"	
	2/TREN-922	Ħ	72"	2070	2141	2214	2417	2492	2568	2816	
	n width is 72". Maximum v 3 for any additional pane	width for each door is 36". el.	leight To:	76"	2094	2171	2242	2454	2534	2619	2867
TREH-92	5/TREN-925		두 윽	80"	2121	2196	2278	2496	2577	2666	2915
	n door width is 36". Sele door width.	cted hinge type may limit	Unit U	84"	2147	2225	2312	2538	2620	2718	2966
Contact Cus	Contact Customer Service for additional information & sizes.				2394	2474	2560	2786	2869	2966	2966
Glass	Glass Add \$221 Add \$273				\$387	Add 9	387		Add	\$680	
Options:	Agua Clida VD Claar Dain* (DN) Cilly (LI				Clear C)	Shower Clear				werGuar Tempes	

Finish Sele	ections:	Shown Above	: Chrome (SV)		Add \$132	: Brushed Nic	kel (BN), Oil Rubbed Bronze (OR),
Add \$273:	Almond (A	AP), Antique	Pewter (QP),	Bronze (BR)	Brushed B	Bronze (BB),	Brushed Gold (BG)
	Burnished	d Copper (CU),	Satin Nickel	(SN), White	e (WP), Mat	te Black (WI)	




the TRESOR SERIES



Towel Bar





3/8" Cle	ear Glass / Chrom	Unit Width (A+B) Up To:												
Return Pa	anel Models:			46"	54"	62"	70"	78"	86"	94"	102"	110"	120"	166"
	5/TREN-945 a door width is 36".	_	72"	2002	2370	2485	2640	2718	2821	2877	2931	3005	3215	3491
Selected	hinge type may limit door width.	Height or To:	76"	2027	2400	2518	2679	2760	2869	2928	2982	3063	3279	3555
	0/TREN-950	ii ∓ Ldu	80"	2053	2434	2556	2718	2801	2915	2974	3038	3118	3338	3614
Maximum	n door width is 36".	Unit L	84"	2079	2467	2594	2755	2844	2961	3027	3093	3176	3401	3677
	hinge type may limit door width.		96"	2355	2743	2870	3031	3120	3237	3302	3368	3452	3677	3677
• Add \$256	Add \$256 for any additional panel							Conta	ct Custoi	mer Ser	vice for add	ditional in	formation	& sizes.
Glass Options:	Add \$221 AquaGlideXP Clear (XP)		n* (RN	\$409 I), Silk (I Vessend		Pure	\$524 Clear PC)	Show	d \$524 verGuar ar (CG)		ure Clea Pure Silk		erGuard	

3/8" Cle	ear Glass / Chron	ne Finish				Uı	nit Wid	th (A+	B+C) Up	то:		
Neo Angl	e Models:			62"	70"	78"	86"	94"	102"	110"	120"	176"
TREH-960/TREN-960Maximum door width is 36". Selected hinge type may limit available door width.			72"	2691	2760	2821	2885	2950	3249	3314	3393	3669
			Leight 26	2733	2801	2869	2936	3008	3308	3376	3461	3737
	Add \$256 for any additional panel.Max. 70" for each return panel.			2775	2848	2921	2992	3063	3368	3439	3527	3804
1116511 1 6				2818	2894	2971	3047	3121	3428	3503	3597	3872
Contact Cus	tomer Service for additional	information & sizes.	96"	3094	3169	3247	3322	3396	3703	3779	3872	3872
Glass Options:	Options: AquaGlideXP Clear Rain* (RN), Silk			Add \$524 Pure Clear		Sho	Add \$524 lowerGuard			Add \$952 lear ShowerGuard (PG),		
	(XP) Strata* (SR), Vessence* (VS			o)	(PC)	C	lear (CG	i)	Pure Sil	k (PS),	Tempes	st^ (TIVI)

Tresor Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any **out of square conditions** or **notched panel(s)**. No additional charges apply.

Door & Panel(s) enclosures with no header (TREN units) may require additional structural support. When using wall mount hinges, 36" is the max. panel width before a support bar is needed. The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 922/935/945 unit or \$313.00 for a 925/950/960 unit.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900 unit or \$221.00 for a 922/925/935/945/950/960 unit. AquaGlideXP Clear is shown above.

Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913 or SCV905) or 1/2 Moon Dam (SC889) - add \$39.00.

A **Single-Sided Towel Bar** can be added to the door panel or the stationary panel for an additional \$230.00 per bar. For a **Back-to-Back Towel Bar** - add \$459.00. A **Combination Pull Handle/Towel Bar** is also available - add \$230.00. You may substitute a back-to-back knob instead of the handle for no additional charge.


To **upgrade to 1/2"** Clear, AquaGlideXP Clear, Silk, Pure Clear, Pure Silk, ShowerGuard Clear, or Pure Clear ShowerGuard glass, add \$193.00 per panel to list price.


Series Changes *(non-Tresor)*: For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00 Mitering for glass-to-glass edge is available for TREH-950/TREN-950 - add \$428.00.



the VINESSE LUX SERIES

Rolling Door with Fixed Panel







Vinesse Lux Header with Double Roller

Vinesse Lux Additional Notes:

76" Height is to the top of the glass. No cutting of header required. Entry clearance under header is 72".

Minimum of a 2¹³/₁₆" curb and wall jamb width threshold is r equired.


Available widths and height are shown above. Units cannot be customized beyond these dimensions. Wall jamb and vinyl strike allow for adjustment for out-of-square within size ranges shown. Maximum of ¹/₈" curb out of level conditions. For openings other than those listed above, please select from the Rolaire or Evo Collections.

Easy, reversible installation for right or left entry.



the VINESSE SERIES

Rolling Door with Fixed Panel





	ass with Chrome Finish			Unit Width (A):			
VINA-935-47 • Fits openings 45" • Inline panel is 22 ⁷ / • Door is 25 ¹ / ₄ "			Unit Height: 76"	45" - 47" \$1126	57" - 59" \$1183		
 VINA-935-59 Fits openings 57" Inline panel is 28⁷/ Door is 31¹/₄" 							
Glass Option:	Add \$221 AquaGlideXP Clear (XP)						
Finish Selections:	Shown Above: Chrome (PM)	Add \$132	2 Brushed Nickel (E	BN)			



Vinesse Header with Single Roller

Vinesse Additional Notes:

76" Height is to the top of the glass. No cutting of header required. Entry clearance under header is 72".

Minimum of a $2^{13}/_{16}$ " curb and wall jamb width threshold is required.


Available widths and height are shown above. Units cannot be customized beyond these dimensions. Wall jamb and vinyl strike allow for adjustment for out-of-square within size ranges shown. Maximum of ½ curb out of level conditions. For openings other than those listed above, please select from the Rolaire or Evo Collections.


Easy, reversible installation for right or left entry.



the ROTOLO SERIES

Bypass Enclosures





3/8" Cle	ar Glas	s / Chron	ne Finish				Unit W	idth (A) Up To:	
Inline Rol	ling Show	er Model:				48"	52"	56"	60"
RTLH-905	5								
Maximum	size is 60"	x 80"		Unit	70"	\$1506	\$1521	\$1536	\$1551
				Height	76"	\$1533	\$1548	\$1563	\$1578
				Up To:	80"	\$1563	\$1578	\$1593	\$1608
Contact Cus	tomer Servic	e for additiona	al information & sizes.						
Glass		\$221	Add \$27	73 A		dd \$387	d \$387 Add \$387 A		80
Options:	AquaGlid	eXP Clear	Rain* (RN), Si	ilk (LK),		ıre Clear	ShowerGuard	Pure Clear Show	erGuard (PG),
Options:	(>	(P)	Strata* (SR), Vess	ence* (VS) (P		(PC)	Clear (CG)	Pure Silk (PS), Te	empest* (TM)
Finish Sel	ections:	Shown Ab	ove: Chrome (SV)			Add \$132:	Brushed Nickel (B	N), Oil Rubbed Bronz	ze (OR)
		•		Add \$2	73: №	latte Black (WI)		

				SV	BN/OR	WI	
SCX891	Wall/Curb Filler	Cut To Size	Each (Add \$30.00 for taper)	\$59	\$67	\$83	

Rotolo RTLH-905 Additional Notes/Options:

Minimum of a 2³/₄" curb width/threshold is required.

Please note any **out of square conditions.** Unit will accommodate $\frac{5}{16}$ " out-of-plumb or $\frac{3}{16}$ " out-of-level before a filler is required.

Please note shower head side when ordering.


ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$221.00 for a 905 unit. AquaGlideXP Clear is shown above.

A Single-Sided Towel Bar can be added to the interior door panel in place of the knob for an additional \$120.00.



the CANTOUR SERIES





RODA BY BASCO

3/8" Clear Gla		nish	Unit Width (A)							
Inline Door & Panel:			32"-36"	36 ¹ / ₁₆ "-42"	421/16"-48"	481/16"-54"*	541/16"-60"*			
 Up to 6" of adjustme 3/8" clear glass swin pivot hinge. 	 Fits openings from 32" - 60". Up to 6" of adjustment. 3/8" clear glass swing door with offset 76" 		1171	1200	1228	1256	1285			
Glass Option:	deXP Clear Glass (XP)								
Finish Selections: Shown Above: Chrome (SV)			Add \$132 Br	ushed Nickel (B	N), Oil Rubbe	d Bronze (OR)				

Cantour Door & Panel Sizes:

CANA-935-36

- Fits Openings 32" 36"
- Inline panel width is 8"
- Door width is 30"

CANA-935-42

- Fits Openings 361/16" 42"
- Inline panel width is 14"
- Door width is 30"

CANA-935-48

- Fits Openings 421/16" 48"
- Inline panel width is 18"
- Door width is 32"

CANA-935-54*

- Fits Openings 48¹/₁₆" 54"
- Inline panel width is 26"
- Door width is 30"

CANA-935-60*

- Fits Openings 54¹/₁₆" 60"
- Inline panel width is 30"
- Door width is 32"



Cantour Additional Notes:


*The two largest opening sizes (481/16"-54", 541/16"-60") require a support bar on the panel.

Available widths and height are shown above. Units cannot be customized beyond these dimensions. Offset pivot hinge allows for up to 6" of adjustment. For openings other than those listed above, please select from a different RODA collection.

Please note **shower head side** when ordering.



the COPPIA SERIES





3/8" Clear Glass / Chron	ne			Unit Widths (A	A) Adjust from:	
Single Swing Value Priced Mo	del:		239/16"-249/16"	24 ⁹ / ₁₆ "-25 ⁹ / ₁₆ "	25 ⁹ / ₁₆ "-26 ⁹ / ₁₆ "	26 ⁹ / ₁₆ "-27 ⁹ / ₁₆ "
COPA-9001" adjustment range provides increased plumb and level		72" 76"	768	774	780 791	786 797
tolerance (1/2" adjustment on hinq side, 1/2" adjustment on handle side) • Out-swing only		70	779 27 ⁹ / ₁₆ "- 28 ⁹ / ₁₆ "	785 Unit Widths (A 28 ⁹ / ₁₆ "-29 ⁹ / ₁₆ "	A) Adjust from:	30 ⁹ / ₁₆ "-31 ⁹ / ₁₆ "
	Unit Heights	72"	792	798	804	810
	± ±	76"	803	809	815	821
	, in		319/16"-329/16"	Unit Widths (A 329/16"-339/16"	A) Adjust from: 33 ⁹ / ₁₆ "-34 ⁹ / ₁₆ "	34 ⁹ / ₁₆ "-35 ⁹ / ₁₆ "
		72"	816	822	828	834
		76"	827	833	839	845
Glass Option: Add \$111	AquaGli	deXP (Lear (XP)			
Finish Selections: Shown Ab	ove: Ch	rome (SV) Add \$132	Brushed Nickel (BN)	, Oil Rubbed Bronze	(OR)

3/8" Clear Glas	s / Chrome	9		Unit Widths (A) Adjust from:	
Door & Inline Pane	l Value Price	d Model:	461/16"-479/16"	471/16"-489/16"	58 ¹ / ₁₆ "-59 ⁹ / ₁₆ "	59 ¹ / ₁₆ "-60 ⁹ / ₁₆ "
COPA-935 • 11/2" adjustment ran increased plumb and tolerance (1" adjustre panel side, 1/2" adjust hinge side)	d level ment on	Unit Heights 76"	965 981	980 996	995 1011	1010 1026
Glass Option:	Add \$221 Ad	quaGlideXP C	lear (XP)			
Finish Selections:	Shown Abov	/e: Chrome (S	SV) Add \$132	Brushed Nickel (BN)	, Oil Rubbed Bronze	(OR)

Coppia Additional Notes:

Available widths and height are shown above. Units cannot be customized beyond these dimensions. For openings other than those listed above, please select from the other RODA Collections.


Easy, reversible installation for right or left entry.

Installs on fiberglass.



the EVO SERIES

Rolling Door with Fixed Panel(s)





3/8" Cle	3/8" Clear Glass / Chrome Finish										
						Unit Width (A) Up To:					
Inline Mo	dels:		45"	52"	60"	68"	76"	84"			
EVOH-92	5										
	suggested width 53".	one of the two stationary		72"	2539	2610	2784	2853	2925	2996	
		" (unless otherwise specified).	Unit	12	2009	2010	2104	2000	2925	2990	
EVOH-93		(ar noce of for whose openings).	Height	76"	2564	2636	2814	2888	2961	3034	
Minimum	suggested width 45".		Up To:	80"	2580	2657	2838	2914	2990	3065	
	el glass will be equal to n width 32" (unless othe										
Glass	Glass Add \$221 Add \$273				Add	\$387		Add	\$680		
Options:	Agus Clido VD Cloor Doin* (DN) Silk (LK)		Pure (PC		Shower Clear		Pure Clear ShowerGuard (PC Pure Silk (PS), Tempest* (TM				

3/8" Cld	ear Glass / Chron	ne Finish	1									
					Unit	Width	(A+B) U	о То:				
Return Panel Model:						70"	78"	86"	94"	102"	110"	120"
EVOH-95	0											
	suggested width 45".		Unit	72"	3337	3409	3480	3664	3734	3806	3878	3951
	 Maximum width 84". Door cannot close into 90° angle. 			76"	3376	3451	3546	3732	3806	3863	3939	4011
 Door par stationary 	 Door panel glass will be equal to the stationary panel with a maximum width 32" (unless otherwise specified). 			80"	3407	3483	3562	3749	3829	3905	3983	4061
Return Page												
Glass	Glass Add \$221				Add \$524 Add \$524 Add \$952					. (5.0)		
Options:	AguaClidoVP Cloar Pain* /			, ,	Pure (P		ShowerGuard Clear (CG)		Pure Clear ShowerGuard (PG Pure Silk (PS), Tempest* (TM			` ''

Evo Additional Notes/Options:

Heights shown are to the top of the header. Panel glass extends 1/2" above the header. Minimum of a 2³/₁₆" curb and wall jamb width threshold is required.

Maximum width and heights are shown above. Units cannot be customized beyond these dimensions.

Please specify shower head side, as well as any out-of-plumb conditions to the 1/16" of an inch. Glass will be cut out of square to accommodate for any out-of-plumb conditions. Maximum of 1/8" curb out of level conditions.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$221.00 per unit. AquaGlideXP Clear is shown above.


Mitering for glass-to-glass edge is available for EVOH-950 - add \$428.

Finish Sele	Finish Selections: Shown Above:						Add \$	132: Brushed Nick	el (BN), Oil Rubbed Bronze (OR)	\Box
Add \$273:	Almond (A	Almond (AP), Antique Pewter (QP),			Bronz	e (BR),	Brush	ned Bronze (BB),	Brushed Gold (BG)	
	Burnished	d Coppe	er (CU),	Satin Nickel (SN),	White (W	/P),	Matte Black (WI)		



the ROLAIRE SERIES

Rolling Door with Fixed Panel(s)





3/8" Clear Glass/Brushed Stainless Finish		Unit Width (A)			
Inline Door & Panel Value Priced Selections:		45" - 47"	57" - 59"		
 ROLA-935-47 Fits Openings 45" - 47" Inline panel width is 22¹/₄" Door width is 26" 	Unit Height				
Walk through opening is 19" - 21"	76"	\$1951	\$2088		
 ROLA-935-59 Fits Openings 57" - 59" Inline panel width is 28¹/₄" Door width is 32" Walk through opening is 25" - 27" Available in Clear glass only. No modifications to size or hardware. See below for custom options. 					
Add \$221 AquaGlideXP Clear Glass (XP)					

3/8" CI	3/8" Clear Glass/Brushed Stainless Finish Unit Width (A) Up To:											
Inline Models:					45"	52"	60"	68"	73"	84"	96"	
Minimum	ROLH-935 Door & Panel • Minimum suggested width 45". At this width, walk- Unit					2867	3059	3136	3212	3750	4012	
1	opening will be roughly 1 mum height allowed (fro		Height Up To:	76"	2816	2897	3093	3173	3253	3808	4074	
1	• 3" clearance above header is required for roller installation.				2837	2921	3118	3202	3284	3863	4136	
Glass Options:	73 Silk (LK), sence* (VS	F	Add \$387 Pure Clear (PC)	Sho	dd \$387 werGuard ear (CG)		Add Clear Sho Silk (PS)					


Finish Selections:	Shown Above: Brushed Stainless (BS)	Add \$95: Chrome (PM)



the ROLAIRE SERIES

Rolling Door with Fixed Panel(s)





3/8" CI	ear Glass/Brush	Unit Width (A+B) Up To:										
Return Panel Model :					62"	70"	78"	86"	94"	102"	110"	120"
ROLH-92	5 Panel/Door/Panel											
width, wa	suggested width is 53". alk through opening will b th offset panels.				0000	07.10	0000	1005	4405	4400	1001	10.10
 80" maxir header). 	mum height allowed (froi	m top of	Unit	72"	3668	3746	3826	4025	4105	4183	4261	4340
• 3" clearar	nce above header is requalition.	uired for	Height Up To:	76"	3711	3792	3896	4101	4183	4245	4326	4408
	0 Door/Panel/Returr	n Panel	ор 10.	80"	3743	3829	3914	4120	4206	4291	4377	4462
	suggested width 45". n inline width 73".											
	not close into 90° angle.											
• Return Pa	anel must be at a 90° an	gle.										
Glass Options:	Add \$221 AquaGlideXP Clear (XP)		.dd \$409 RN), Silk (Add : Pure (Po	Clear	Add \$ Shower	Guard			\$952 werGuard Tempest	

Rolaire Additional Notes/Options:

Heights shown are to the top of the header. Add 3" for roller clearance.

Maximum width and heights are shown above. Units cannot be customized beyond these dimensions. Minimum of a $2^3/_{16}$ " curb and wall jamb width threshold is required.

Rolaire Header & Roller

Please specify shower head side, as well as any out-of-plumb and/or out-of-level conditions to the $^{1}/_{16}$ " of an inch. Glass will be cut out of square to accomodate for any out of plumb/level condition. Maximum of $^{1}/_{8}$ " curb out of level conditions.


ShowerGuard is only available in clear & pure clear (see pricing above). AquaGlideXP can be applied to any glass pattern. Add \$221.00 per unit. AquaGlideXP Clear is shown above.

An **18" Towel bar** can be added to the inside of the door panel or the outside stationary panel for an additional cost of \$320.00 per bar. You may substitute a knob instead of the handle for no additional charge.

Mitering for glass-to-glass edge is available for ROLH-950 - add \$428.00.



Shower Screens





Stationary Panel Value Priced Selection:	3/8" Clear Glass		Unit Width (A):			
GEOA-910	Chrome Finish	24"	30"	36"		
 Stationary Panel with Bottom U-Channel, one top glass clamp. 30" x 60" (Panel: 29³/₄" x 59¹³/₁₆") 30" x 76" (Panel: 29³/₄" x 75¹³/₁₆") 36" x 76" (Panel: 35³/₄" x 75¹³/₁₆") Available in Clear glass only. No modifications to size or hardware. 	Unit 60" Height: 76"	- 497	497 528	- 566		
See below for custom options.	70	497	320	300		
Glass Option: Add \$111 AquaGlideXP Clear Glass (XP)						


3/8" Cle	ear Glass / Chron	ne Finish				Unit Width (A) Up To:						
Stationar	y Panel Model:					20"	24"	28"	32"	36"		
GEON-91	0				60"	648	711	774	832	892		
		Channel & One top glass			64"	663	723	786	846	907		
clamp.				Unit	68"	676	739	801	861	921		
				Height	72"	691	753	815	876	938		
				Up To:	76"	705	765	829	892	954		
					80"	716	781	844	907	971		
					84"	731	794	858	922	985		
Contact Cus	Contact Customer Service for additional information & sizes.					889	959	1023	1087	1151		
Glass Add \$111 Add \$139 Ad					dd \$194 Add		Add \$194		Add \$273			
Options: AquaGlideXP Clear Rain* (RN), Silk (LK), Strata* (SR), Vessence* (VS)						verGuard ar (CG)		Clear Sh e Silk (PS		ard (PG), est* (TM)		

Single Swing Panel Value Priced Selection:	3/8" Clear			Unit Width (A):			
GEOA-920	Chrome Fi	inish	24"	30"	36"		
Swing Panel with two wall-mount hinges, and back-to-back Geolux knob. 30" x 60" (Door: 30" x 599/16") 24" x 76" (Door: 24" x 759/16") 30" x 76" (Door: 36" x 759/16") Available in Clear glass only. No modifications to size or hardware. See below for custom options.	Unit Height :	60" 76"	- 764	764 784	- 823		
Glass Option: Add \$111 AquaGlideXP Clear Glass (XP)							

	ear Glass / Chron	ne Finish					Unit Wi	idth (A) l	-	26"
Single Sw	ving Panel Model:				60"	20" 870	933	28"	32"	36"
GEON-92	20				60	670	933	996	1054	1113
Maximum	n swing panel width is 3	6".			64"	885	944	1007	1067	1128
	01			Unit	68"	897	960	1022	1083	1143
				Height	72"	913	975	1037	1098	1160
				Up To:	76"	927	986	1050	1113	1175
					80"	937	1002	1065	1128	1192
					84"	953	1016	1080	1144	1207
Contact Customer Service for additional information & sizes.					96"	1110	1181	1245	1309	1373
Glass	Add \$111	Add \$139	Add	d \$194	Ad	d \$194		Ad	d \$273	
Options:	AquaGlideXP Clear	Rain* (RN), Silk (LK),	Pure	e Clear	ShowerGuard		Pure Clear ShowerGuar			ard (PG),
Options.	(XP)	Strata* (SR), Vessence* (VS)	(PC)	Cle	ar (CG)	Pure	Silk (PS	s), Tempe	est* (TM)



Shower Screens





Stationary Panel/Swing Panel Value Priced Selections:

- Swing Panel with two glass-to-glass hinges and back-to-back Geolux knob.
- Panel requires support bar.
- 45" x 60" (Door: 30" x 59⁹/16", Panel: 14⁵/8" x 59¹³/16")
 36" x 76" (Door: 24" x 75⁹/16", Panel: 11⁵/8" x 75¹³/16")
- 45" x 76" (Door: 30" x 75⁹/16", Panel: 14⁵/8" x 75¹³/16") 54" x 76" (Door: 36" x 75⁹/16", Panel: 23⁵/8" x 75¹³/16")
- Available in Clear glass only. No modifications to size or hardware. See below for custom options.

3,	/8" Clea	r Glass		Unit Width	(A):				
C	hrome F	inish	36"	36" 45"					
П	Unit	60"	-	1165	-				
	Height: 76"		1175	1190	1205				

Glass Option: Add \$221 AquaGlideXP Clear Glass (XP)

3/8" Cle	ear Glass / Chron	Unit Width (A) Up To:									
Stationar	y Panel & Swing Par	44"	52"	60"	68"	76"	84"	96"			
GEON-93		72"	1431	1451	1529	1664	1773	1877	2065		
	Maximum swing panel width is 36".				1449	1488	1567	1703	1791	1920	2107
Minimum	Minimum stationary panel size is 12".			5 80		1499	1578	1712	1798	1958	2146
			Up To:	84"	1710	1754	1797	1864	1930	2086	2274
Contact Cus	stomer Service for additiona	al information & sizes.		96"	1897	1941	1985	2051	2118	2274	2379
Glass	Glass Add \$221 Add \$273			Ad	ld \$387	Add	Add \$387		Ad	d \$680	
Options:	Options: AquaGlideXP Clear Rain* (RN), Sill			1	re Clear	Clear ShowerGuard		Pure Clear ShowerGu			
	(XP) Strata* (SR), Vesse				(PC)	Clea	ar (CG)	Pure Silk (PS), Tempest* (est* (TM)

Geolux GEON-910/920/930 Additional Notes/Options:

*Rain, Strata, Vessence & Tempest have a maximum unit height of 80".

Please note any **out of square conditions** or **notched panel(s)**. No additional charges apply.

Door & Panel(s) enclosures with no header (GEON units) may require additional structural support. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for each unit.

ShowerGuard is only available in clear & pure clear (see pricing above). AquaGlideXP can be applied to any glass pattern. Add \$111.00 for a 910/920 unit or \$221.00 for a 930 unit. AquaGlideXP Clear is shown above.

14" Radius Corner Option - add \$105.00, Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913 or SCV905) or 1/2 Moon Dam (SC889) - add \$39.00.

For GEON units only, a Single-Sided Towel Bar can be added to the door panel or the stationary panel for an additional \$256.00 per bar. For a Back-to-Back Towel Bar - add \$511.00.

Series Changes (non-Geolux): For Wall or Glass-to-Glass clamps - add \$157.00

To upgrade to 1/2" Clear, AquaGlideXP Clear, Silk, Pure Clear, Pure Silk, Shower Guard Clear, or Pure Clear ShowerGuard glass, add \$193.00/panel to list price.

Finish Sele	ections:	Shown Above	: Chrome (SV)		Add \$132: Brushed Nickel (BN), Oil Rubbed Bronze (OR)	
Add \$273:	Almond (A	AP), Antique	Pewter (QP),	Bronze (BR),), Brushed Bronze (BB),	
	Burnished	d Copper (CU),	Satin Nickel ((SN), White	te (WP), Matte Black (WI)	



Model Configurations/Numbers: "D" in model number denotes unit with a Diagonal Top. GEOND-900 GEOND-935 A Geolux is also available without diagonal top design. Please refer to page 36.



3/8" Cle	ear Glass / Chron	ne Finish					Unit W	idth (A) I	Jp To:	
Single Sw	ving Model:					20"	24"	28"	32"	36"
GEOND-9	900				60"	1502	1528	1559	1587	1728
	n opening is 36".				64"	1512	1541	1571	1605	1745
	ngs out only.			Unit	68"	1523	1553	1587	1621	1760
Boor own	igo cat offiy.			Height	72"	1533	1566	1601	1638	1866
				Up To:	76"	1544	1580	1617	1714	1884
					80"	1554	1591	1635	1735	1905
					84"	1565	1605	1651	1757	1927
Contact Cus	tomer Service for additiona	al information & sizes.			96"	1731	1771	1817	1923	-
Glass	Add \$111	Add \$139	Ad	ld \$194	Ad	d \$194			d \$273	
Options:	AquaGlideXP Clear (XP)	Rain* (RN), Silk (LK), Strata* (SR), Vessence* (VS)	_	re Clear (PC)		verGuard ar (CG)	1	Clear Sh Silk (PS		ard (PG), est* (TM)

3/8" Clear Glass / Chrome Finish Unit Width (A) Up To:											
Inline Dod	or & Single Panel Mo		44"	52"	60"	68"	76"	84"	96"		
GEOND-9	935			72"	1896	1986	2041	2278	2354	2424	2644
 Maximum 	n door width is 36".		Unit	10	1922	1999	2075	2310	2392	2472	2693
• Door swir	ngs out only.		Heigh	OU	1946	2027	2103	2349	2429	2513	2734
			Up To): 84"	1972	2057	2137	2386	2467	2560	2781
Contact Cus	tomer Service for additiona	l information & sizes.		96"	2193	2278	2358	2607	2687	2781	2781
Glass Options:Add \$221 AquaGlideXP Clear (XP)Add \$273 				Add 9 Pure (Clear	Add \$ Shower Clear	Guard		Add lear Sho Silk (PS),	werGuar	` ''



Optional Back-to-Back Geolux Knob

Optional Geolux Towel Bar



Finish Selections: Shown Above: Chrome (SV)				Add \$132: Brushed Nickel (BN), Oil Rubbed Bronze (OR)					
Add \$273:	Almond (AP),	Antique Pewter (QF	P), Bronze (BR),	Brushed Bronze (BB),	Burnished Copper (CU),				
	Satin Nickel (S	N), White (WP),	Matte Black (WI)						



Model Configurations/Numbers:

"D" in model number denotes unit with a Diagonal Top.



Geolux is also available without angled top design. Please refer to page 37.



3/8" Cle	ear Glass / Chron		Unit Width (A+B) Up To:												
Return Pa			46"	54"	62"	70"	78"	86"	94	" 102"	110"	120"	166"		
GEOND-950 • Maximum door width is 36". • Add \$256 for any additional		ıt	72"	2459	2828	2940	3097	3173	3279	333	3 3389	3461	3672	3947	
		leigh To:	76"	2485	2856	2974	3136	3215	3325	338	6 3439	3519	3735	4010	
panel.			80"	2510	2889	3013	3173	3257	3371	343	3494	3575	3795	4070	
• Door swir			84"	2535	2924	3051	3211	3299	3417	348	3549	3632	3858	4134	
Contact Customer Service for additional information & sizes.			96"	2811	3200	3326	3488	3575	3693	375	8 3826	3909	4134	4134	
Glass	Options: AquaGlideXP Clear			d \$409 N), Silk (LK), Vessence* (VS)			Add \$524 Pure Clear (PC)		Add \$524 ShowerGuard Clear (CG)		Add \$952				
0.11011010			•								Pure Clear ShowerGuard (PG), Pure Silk (PS), Tempest* (TM)				

Geolux Additional Notes/Options:

Geolux doors out-swing only.

Please note shower head side. High side of enclosure will be on the shower head side.

The **low point of the slope** will vary based on the overall unit height, but the minimum height from the floor to the low point of the slope is 60".

Geolux units can be manufactured without the diagonal at the top. Please refer to pages 36 & 37 of this price book.

*Rain, Strata, Vessence and Tempest have a maximum unit height of 80".

Please note any out of square conditions or notched panel(s). No additional charges apply.

Door & Panel(s) enclosures may require additional structural support. When using wall mount hinges, 36" is the maximum panel width before a support bar is needed. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 935 unit or \$313.00 for a 950 unit.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900 unit or \$221.00 for a 935/950 unit. AquaGlideXP Clear is shown above.


A **Single-Sided Towel Bar** can be added to the door panel or the stationary panel for an additional \$256.00 per bar. For a **Back-to-Back Towel Bar** - add \$511.00. You may substitute a back-to-back knob instead of the handle for no additional charge. **Swing Out Only** (SCV913) - add \$39.00.

Series Changes (non-Geolux): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00

Mittering for glass-to-glass edge is available for GEON-950 - add \$428.00.

Finish Sele	ections:	Show	n Above:	Chrome (SV)			Add	dd \$132: Brushed Nickel (BN), Oil Rubbed Bronze (OR)
Add \$273:	Almond (A	AP),	Antique P	ewter (QP),	Bronze	(BR),	Brus	shed Bronze (BB),
	Burnished	d Coppe	er (CU),	Satin Nickel (SN),	White (W	P),	Matte Black (WI)







3/8" Cle	ear Glass / Chron	ne Finish		Unit Width (A) Up To:						
Single Sw	ving Model:					20"	24"	28"	32"	36"
GEONS-9	000				60"	1397	1423	1454	1482	1623
l	opening is 36".				64"	1407	1436	1466	1500	1640
l	ngs out only.			Unit	68"	1418	1448	1482	1516	1655
200.011	.go out oy.			Height	72"	1428	1461	1496	1533	1761
				Up To:	76"	1439	1475	1512	1609	1779
					80"	1449	1486	1530	1630	1800
					84"	1460	1500	1546	1652	1822
Contact Cus	tomer Service for additiona	al information & sizes.			96"	1626	1666	1712	1818	-
Glass	Add \$111	Add \$139	Ad	d \$194	Ad	d \$194		Ad	d \$273	
Options: AquaGlideXP Clear Rain* (RN), Silk (LK), Pure C		re Clear (PC)		verGuard ar (CG)		Pure Clear ShowerGuard (PG), Pure Silk (PS), Tempest* (TM)				

	ear Glass / Chron		Unit Width (A) Up To:								
Inline Do	or & Single Panel Mo	odel:		44"	52"	60"	68"	76"	84"	96"	
GEONS-9	35			72"	1791	1881	1936	2173	2249	2319	2539
Maximum	Unit	70	1817	1894	1970	2205	2287	2367	2588		
Door swings out only.				ht 80"	1841	1922	1998	2244	2324	2408	2629
		Up To	84"	1867	1953	2032	2281	2362	2455	2676	
Contact Cus	tomer Service for additiona		96"	2088	2173	2253	2502	2582	2676	2676	
Glass Options:	Add \$221 AquaGlideXP Clear (XP)	Add \$273 Rain* (RN), Silk (LH Strata* (SR), Vessence	Add 9 Pure ((P(Clear	Add \$387 ShowerGuard Clear (CG)		Add \$680 Pure Clear ShowerGua Pure Silk (PS), Tempes			, , ,	



Optional Back-to-Back Geolux Knob


Optional Geolux Towel Bar



Finish Sele	ections: S	Shown Above:	Chrome (SV)		Add \$132: Brushed Ni	ckel (BN), Oil Rubbed Bronze (OR)
Add \$273:	Almond (AP), Antique F	ewter (QP),	Bronze (BR),	Brushed Bronze (BB),	Burnished Copper (CU),
	Satin Nickel	I (SN), White	e (WP), Ma	tte Black (WI)		



the GEOLUX SERIES





3/8" Cle	ear Glass / Chron	Unit Width (A+B) Up To:												
Return Pa	anel Model:			46"	54"	62"	70"	78"	86"	94"	102"	110"	120"	166"
GEONS-9		ıt	72"	2196	2566	2678	2834	2910	3016	307	3126	3199	3410	3685
	n door width is 36". S for any additional	Height or To:	76"	2222	2594	2712	2873	2952	3062	3123	3 3177	3257	3473	3748
panel.	•	= '	80"	2247	2627	2750	2910	2994	3108	3169	3231	3312	3533	3808
• Door swir	ngs out only.	unit L	84"	2273	2661	2788	2949	3036	3155	3220	3287	3370	3596	3872
	tomer Service for ormation & sizes.		96"	2549	2937	3063	3225	3312	3431	3496	3563	3646	3872	3872
Glass Options:	AguaGlidoYP Cloar I Ra		Add \$409 Rain* (RN), Silk (LK),			1 \$524 e Clear	1	ld \$524 verGua					d (PG),	
Options.	ODUOUS. '			Vessence* (VS)		(F	(PC) Clear (CG)			Pure Silk (PS), Te			* (TM)	

Geolux Additional Notes/Options:

Geolux doors out-swing only.

Please note shower head side. High side of enclosure will be on the shower head side.

The **low point of the slope** will vary based on the overall unit height, but the minimum height from the floor to the low point of the slope is 60".

Geolux units can be manufactured with a diagonal at the top. Please refer to pages 34 & 35 of this price book.

*Rain, Strata, Vessence and Tempest have a maximum unit height of 80".

Please note any **out of square conditions** or **notched panel(s)**. No additional charges apply.

Door & Panel(s) enclosures may require additional structural support. When using wall mount hinges, 36" is the maximum panel width before a support bar is needed. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 935 unit or \$313.00 for a 950 unit.

Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913) or 1/2 Moon Dam (SC889) - add \$39.00.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900 unit or \$221.00 for a 935/950 unit. AquaGlideXP Clear is shown above.

A **Single-Sided Towel Bar** can be added to the door panel or the stationary panel for an additional \$256.00 per bar. For a **Back-to-Back Towel Bar** - add \$511.00. You may substitute a back-to-back knob instead of the handle for no additional charge.

Series Changes (non-Geolux): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00


Mittering for glass-to-glass edge is available for GEON-950 - add \$428.00.


Finish Sele	ections:	Shown Above:	Chrome (SV)		Add \$132: Brushed Nickel (BN), Oil Rubbed Bronze (OR),	
Add \$273:	Almond (A	AP), Antique F	Pewter (QP),	Bronze (BR),	Brushed Bronze (BB),	
	Burnished	d Copper (CU),	Satin Nickel (SN), White	e (WP), Matte Black (WI)	



the GEOLUX SERIES

Bottom Rolling Door with Fixed Panel





1/2" Cle	ar Glass Rolling Door &	Panel / Chrome	Finish	Unit Width (A) Up To:						
Inline Doo	r & Panel Model:					48"	54"	60"	64"	
	5 (Bottom Roller) For and Fixed Panel are 1/2" Glas	0		Unit	72"	2642	2704	2766	2847	
	size is 64" x 80"	5		Height Up To:	76"	2687	2751	2817	2902	
1	is based on finished opening wid	th.		ор ю.	80"	2914	2982	3050	3138	
• Features b	back-to-back Geolux handle.									
Contact Cust	omer Service for additional informatio	n & sizes.								
Glass	Add \$221	Add \$387 Pure Clear		\$387 erGuard	Add \$680 rd Pure Clear ShowerG			uard (PG)		
Options:	AquaGlideXP Clear (XP)	(PC)		r (CG)	Turk		e Silk (PS			

Geolux Bottom Roller Additional Notes/Options:

Minimum of a $2^{1}/_{4}$ " curb and wall jamb width threshold is required. Maximum of $^{1}/_{8}$ " curb out of level conditions.

Please note shower head side. For optimal operation, the door should be installed on the same side as the shower head.

Finish Selections:
Shown Above - Chrome (SV)
Add \$132 - Brushed Nickel (BN)
Oil Rubbed Bronze (OR)


Offset, wall mount clamps are used for the fixed panel.

ShowerGuard is only available in clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$221.00 per unit. AquaGlideXP Clear is shown above.

A Single-Sided Towel Bar can be added to the door panel or the stationary panel for an additional \$256.00 per bar.



Bottom Rolling Door with Fixed Panel





3/8" Cle	3/8" Clear Glass Rolling Door & 1/2" Clear Glass Panel / Chrome Finish													
					Unit '	Width (A) U	р То:							
Inline Doo	or & Panel Model:				48"	54"	60"							
Rolling DoFixed ParMaximum	5 (Bottom Roller) oor is 3/8" Glass el is 1/2" Glass size is 60" x 72" is based on finished opening wid	Unit Height 72" Up To:	2295	2331	2368									
• Features I	pack-to-back Vonse handle. Tomer Service for additional information													
Glass Options:	Add \$221 AquaGlideXP Clear (XP)	Add \$273 Silk (LK)	Add \$387 Pure Clear (PC)	Add \$387 ShowerGuard Clear (CG)	Pure C	Add \$680 lear Shower Pure Silk (F	Guard (PG),							

	ar Glass Rolling Door 8	Panel / Chrome	e Finish			Unit Width (A) Up To:						
Inline Doc	or & Panel Model:					48"	54"	60"	64"			
	5 (Bottom Roller) or and Fixed Panel are 1/2" Glas		Unit	72"	2537	2599	2661	2742				
	size is 64" x 80"	5		Height		2582	2648	2712	2797			
	is based on finished opening wic	th.		Up To:	80"	2809	2877	2945	3033			
• Features I	back-to-back Vonse handle.											
Contact Cust	omer Service for additional information	on & sizes.										
Glass	Add \$221	Add \$273	Add \$387	1	\$387			dd \$680				
Options:	AquaGlideXP Clear (XP)	Pure Clear (PC)	Showe Clear	erGuard r (CG)	l Pure		nowerGuard (PG), Silk (PS)					

Vonse Bottom Roller Additional Notes/Options:

Minimum of a $2^{1}/_{4}$ " curb and wall jamb width threshold is required. Maximum of $1/_{8}$ " curb out of level conditions.

Please note shower head side. For optimal operation, the door should be installed on the same side as the shower head.

Offset, wall mount clamps are used for the fixed panel.

ShowerGuard is only available in clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$221.00 per unit. AquaGlideXP Clear is shown above.

Finish Selections:

Shown Above - Chrome (SV)

Add \$132 - Brushed Nickel (BN) Oil Rubbed Bronze (OR)



Model Configurations/Numbers: "C" in model number denotes unit with Curved Top. VONNC-900 VONNC-935 July Door Panel A Vonse is also available without curved top design. Please refer to page 42.



3/8" Cle	ear Glass / Chron	ne Finish					Unit W	idth (A) l	Јр То:	
Single Sw	ving Model:					20"	24"	28"	32"	36"
VONNC-9	000				60"	1502	1528	1559	1587	1728
l .	opening is 36".				64"	1512	1541	1571	1605	1745
common	. 5559 .5 66 .			Unit	68"	1523	1553	1587	1621	1760
				Height	72"	1533	1566	1601	1638	1866
				Up To:	76"	1544	1580	1617	1714	1884
					80"	1554	1591	1635	1735	1905
					84"	1565	1605	1651	1757	1927
Contact Cus	tomer Service for additiona	al information & sizes.			96"	1731	1771	1817	1923	2092
Glass Options:	Add \$111 AquaGlideXP Clear	Add \$139 Rain* (RN), Silk (LK),	Pur	d \$194 re Clear	Show	d \$194 /erGuard		Clear Sh		ard (PG),
	(XP)	Strata* (SR), Vessence* (VS)		(PC)	Cle	ar (CG)	Pure	Silk (PS	s), Tempe	est* (TM)

	ear Glass / Chron	ne Finish				Unit Width (A) Up To:						
Inline Do	or & Panel Model:				44"	52"	60"	68"	76"	84"	96"	
VONNC-9	935			72"	1896	1968	2041	2278	2354	2424	2644	
 Maximum 	n door width is 36".		Uni	/ n	1922	1999	2075	2310	2392	2472	2693	
			Heig Up 1		1946	2027	2103	2349	2429	2513	2734	
			Op i	84"	1972	2057	2137	2386	2467	2560	2781	
Contact Cus	stomer Service for additiona	al information & sizes.		96"	2193	2278	2358	2607	2687	2781	2781	
Glass Options:	Add \$221 AquaGlideXP Clear (XP)	Add \$273 Rain* (RN), Silk (LK) Strata* (SR), Vessence*		Add S Pure (Clear	Add \$ Shower Clear	Guard		Add lear Showilk (PS),	werGuar		




Vonse Handle

Finish Sele	ections: Show	n Above: Chrome	(SV)	Add \$132: Brushed Nickel (BN), Oil Rubbed Bronze (OR)						
Add \$273:	Almond (AP),	Antique Pewter (Q	P), Bronze (BR),	Brushed Bronze (BB),	Burnished Copper (CU),					
	Satin Nickel (SN)	, White (WP),	Matte Black (WI)							



Model Configurations/Numbers: "C" in model number denotes unit with Curved Top. VONNC-950



Vonse is also available without curved top design. Please refer to page 43.




3/8" Cle	ear Glass / Chrom	e Fini	ish			Unit Width (A+B) Up To:								
Return Pa	anel Model:			46"	54"	62"	70"	78"	86"	94'	" 102"	110"	120"	166"
VONNC-9		Ħ	72"	2459	2828	2940	3097	3173	3279	333	3 3389	3461	3672	3947
	door width is 36". For any additional	Height 5 To:	76"	2485	2856	2974	3136	3215	3325	338	6 3439	3519	3735	4010
panel.	Tor arry additional	= 음	80"	2510	2889	3013	3173	3257	3371	343	3494	3575	3795	4070
		Unit	84"	2535	2924	3051	3211	3299	3417	348	3549	3632	3858	4134
	tomer Service for ormation & sizes.		96"	2811	3200	3326	3488	3575	3693	375	8 3826	3909	4134	4134
Glass Options:	Add \$221 AquaGlideXP Clear		n* (R1	3 \$409 N), Silk (Pure	1 \$524 e Clear	Show	Id \$524 werGua		Pure Clea		erGuard	
•	(XP) S		Strata* (SR), Vessence* (VS)			(F	(PC) Clear (CG)				Pure Silk (PS), Tempest* (TM)			

Vonse Additional Notes/Options:

Please note shower head side. High side of enclosure will be on the shower head side.

For curved top option, hinge must be mounted on high side of curve. The **low point of the curve** will vary based on the overall unit height, but the minimum height from the floor to the low point of the curve is 60".



*Rain, Strata, Vessence and Tempest have a maximum unit height of 80".

Please note any out of square conditions or notched panel(s). No additional charges apply.

Door & Panel(s) enclosures may require additional structural support. When using wall mount hinges, 36" is the maximum panel width before a support bar is needed. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 935 unit or \$313.00 for a 950 unit.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900 unit or \$221.00 for a 935/950 unit. AquaGlideXP Clear is shown above. **Swing Out Only** (SCV913) - add \$39.00.

You may substitute a back-to-back knob instead of the handle for no additional charge.


Series Changes (non-Vonse): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00

Mittering for glass-to-glass edge is available for VONNC-950 - add \$428.00.





Vonse Wall Mount Hinge






3/8" Cle	ear Glass / Chron	ne Finish					Unit W	idth (A) l	Јр То:	
Single Sw	ving Model:					20"	24"	28"	32"	36"
VONNS-9	00				60"	1397	1423	1454	1482	1623
	opening is 36".				64"	1407	1436	1466	1500	1640
TVICO (II TICIT	r opermig to co .			Unit	68"	1418	1448	1482	1516	1655
				Height	72"	1428	1461	1496	1533	1761
				Up To:	76"	1439	1475	1512	1609	1779
					80"	1449	1486	1530	1630	1800
					84"	1460	1500	1546	1652	1822
Contact Cus	tomer Service for additiona	al information & sizes.			96"	1626	1666	1712	1818	1987
Glass	Add \$111	Add \$139	Ad	d \$194	Ad	d \$194		Ad	d \$273	
Options:	AquaGlideXP Clear (XP)	Rain* (RN), Silk (LK), Strata* (SR), Vessence* (VS)	_	re Clear (PC)		verGuard ar (CG)		Clear Sh Silk (PS		ard (PG), est* (TM)

3/8" Cle	ear Glass / Chron	ne Finish				Unit Width (A) Up To:						
Inline Dod	or & Panel Model:				44"	52"	60"	68"	76"	84"	96"	
VONNS-9	35			72"	1791	1863	1936	2173	2249	2319	2539	
 Maximum 	door width is 36".		Uni	70	1817	1894	1970	2205	2287	2367	2588	
			Heig Up T		1841	1922	1998	2244	2324	2408	2629	
			op i	84"	1867	1952	2032	2281	2362	2455	2676	
Contact Cus	tomer Service for additiona	al information & sizes.		96"	2088	2173	2253	2502	2582	2676	2676	
Glass	Add \$221	Add \$273		Add \$	387	Add \$	387		Add	\$680		
Options:	AguaClidoVD Cloar Pain* (DN) Silly (Lk				Clear C)	Shower Clear			lear Sho Silk (PS),			

Finish Sele	ections:	Shown A	Above: Chrome	(SV)	Add \$132: Brushed Nickel (BN), Oil Rubbed Bronze (OR)					
Add \$273:	Almond (Af	P), Ar	ntique Pewter (QF	P), Bronze (BR),	Brushed Bronze (BB),	Burnished Copper (CU),				
	Satin Nicke	el (SN),	White (WP),	Matte Black (WI)						






3/8" Clear Glass / Chrome Finish					Unit Width (A+B) Up To:									
Return Panel Model:				46"	54"	62"	70"	78"	86"	94"	102"	110"	120"	166"
VONNS-950 • Maximum door width is 36". • Add \$256 for any additional		Ħ	72"	2196	2566	2678	2834	2910	3016	307	1 3126	3199	3410	3685
		Height o To:	76"	2222	2594	2712	2873	2952	3062	3123	3 3177	3257	3473	3748
panel.			80"	2247	2627	2750	2910	2994	3108	3169	3231	3312	3533	3808
		Unit	84"	2273	2661	2788	2949	3036	3155	3220	3287	3370	3596	3872
	Contact Customer Service for additional information & sizes.		96"	2549	2937	3063	3225	3312	3431	3496	3563	3646	3872	3872
Glass Options: Add \$221 AquaGlideXP Clear (XP)			Add \$407 Rain* (RN), Silk (LK Strata* (SR), Vessence*			Add \$524 Pure Clear (PC)		Add \$524 ShowerGuard Clear (CG)			Add \$952 Pure Clear ShowerGuard (PG), Pure Silk (PS), Tempest* (TM)			

Vonse Additional Notes/Options:

Please note shower head side. For optimal operation, the door should be installed on the same side as the shower head.



Vonse units can be manufactured with a curve at the top. Please refer to pages 40 & 41 of this price book.

Please note any **out of square conditions** or **notched panel(s)**. No additional charges apply.


Door & Panel(s) enclosures may require additional structural support. When using wall mount hinges, 36" is the maximum panel width before a support bar is needed. Glass-to-glass hinges always require use of a support bar and minimum hinge panel size is 12". The number of hinges provided will be determined by the application. Adequate wall support (wall stud at screw location) is required. If additional hinges are requested but not required - add \$221.00 for each wall mount or glass mount hinge. If additional clamps are requested but not required - add \$157.00 for a 935 unit or \$313.00 for a 950 unit.

Angled Ceiling or Floor to Ceiling - add \$111.00, Transom (each) - add \$256.00, Swing Out Only (SCV913) or 1/2 Moon Dam (SC889) - add \$39.00.

ShowerGuard is only available in clear & pure clear (see pricing above). **AquaGlideXP can be applied to any glass pattern.** Add \$111.00 for a 900 unit or \$221.00 for a 935/950 unit. AquaGlideXP Clear is shown above.

You may substitute a back-to-back knob instead of the handle for no additional charge.

Series Changes (non-Vonse): For Back-to-Back Pull - add \$111.00. For Wall or Glass-to-Glass clamps - add \$157.00 Mittering for glass-to-glass edge is available for VONN-950 - add \$428.00.







Vonse Wall Mount Hinge



the PRECERIA SERIES






Inline Door & Single Panel	Chrome F	inish	۱ (o To:					
Model:				44"	52"	60"	68"	72"	
PREH-935			74"	1400	1517	1000	1004	1070	
 Please specify if door panel is to 	el. Unit	74"	1468	1547	1626	1884	1972		
l ' ' '	•	Haiaht	80"	1525	1612	1695	1962	2050	
 Please specify out of square controls wall or greater than 5/16" on the 	Up To:	84"	1581	1676	1764	2042	2138		
 At heights above 74", maximum 	n door width is 28".								
At heights below 74", maximum									
5/16" Glass Options:	Add \$221 AquaGlideXP Clear (XP)		Add \$139 Silk Panel/Clear Door (KK)			Add \$273 Silk (LK)			

Inline Panel/Door/Panel	ss / Ch	rome	Finish	Unit Width (A) Up To:					
Model:				44"	52"	60"	68"	72"	84"
PREH-925		Unit Height	74"	1781	1861	1939	2160	2266	2394
 Please specify out of square conditions greater than 5/16" on the threshold or either stationary panel wall. 			80"	1839	1921	2009	2249	2356	2483
At heights above 74", maximun		Up To:	84"	1894	1984	2078	2327	2463	2609
• At heights below 74", maximum door width is 32".									
5/16" Glass Options:	Add \$221 AquaGlideXP Clear (XP)	Add \$139 Silk Panel/Clear Do					Add \$273 Silk (LK)		

Finish Sele	ections:	Shown Abov	e: Chrome (SV)		Add \$132: Brushed Nic	kel (BN), Oil Rubbed Bronze (OR),
Add \$273:	Almond (A	AP), Antiqu	e Pewter (QP),	Bronze (BR),	Brushed Bronze (BB),	Brushed Gold (BG)
	Burnished	d Copper (CU),	Satin Nickel	(SN), White	e (WP), Matte Black (WI)	



the PRECERIA SERIES



5/1	e Fini	sh	Unit	Width	Jp To:							
Return Panel Model:				46"	54"	62"	70"	` 78″	86"	94"	102"	110"
PREH-950												
Please specify if door panel is to the wall or from the panel.	o hinge from											
Please specify out of square c	onditions	Unit	74"	1690	2091	2216	2386	2470	2585	2645	2705	2784
greater than 1/8" on the door w than 5/16" on the threshold or s		Height		1746	2160	2296	2470	2562	2685	2751	2820	2908
wall.	stationally parier	Up To:	84"	1800	2231	2373	2554	2654	2788	2858	2936	3032
 Additional panel - add \$256. 												
• At heights above 74", maximun 28".	n door width is											
• At heights below 74", maximum door width is 32".												
5/16" Glass Options: Add \$221 AquaGlideXP Clear (XP)			XP)			Add \$27 el/Clear		K)			\$409 (LK)	

Preceria Additional Notes/Options:	Finish Selections:					
Minimum Hinge Panel size is 61/2". Minimum Strike Panel size is 31/2".	Shown Above - Chrome (SV)					
PREH-935/950: Standard 28" door is used unless otherwise specified. Please specify if door panel is to hinge from the wall or the panel.	Add \$132 - Brushed Nickel (BN) Oil Rubbed Bronze (OR)					
PREH-925: Standard 28" door is centered between panels unless otherwise specified.	Add \$273 -					
Notched Panel/s can exist as long as minimum panel width guidelines are met (see	Almond (AP)	Bronze (BR)				
above).	Antique Pewter (QP)	Satin Nickel (SN)				
	Brushed Bronze (BB)	White (WP)				
AquaGlideXP can be applied to any glass pattern. Add \$111.00 for a 900 unit or \$221.00 for a 925/935/950 unit. AquaGlideXP Clear is shown above.	Brushed Gold (BG) Burnished Copper (CU)	Matte Black (WI)				

VE Door Blanks

VE door blanks are available in limited configurations and are 3/8" Clear glass. If a VE door blank is used, please subtract \$250 from the list price.

Available VE Door Blanks:

- 28" width x 72" unit height with wall mount hinges.
- 28" width x 76" unit height with wall mount hinges
- 28" width x 80" unit height with wall mount hinges.
- 28" width x 72" unit height with header and pivot hinges.
- 28" width x 76" unit height with header and pivot hinges.
- 28" width x 80" unit height with header and pivot hinges.
- 28" width x 72" unit height with wall mount hinges, 1/4" out-of-plumb on the hinge side
- 28" width x 76" unit height with wall mount hinges, 1/4" out-of-plumb on the hinge side
- 28" width x 80" unit height with wall mount hinges, 1/4" out-of-plumb on the hinge side

All VE door blanks are available in Clear or AquaGlideXP Clear. No customization is available on the door size. All doors must have 8" pull handle. All pulls are centered on door height, not placed at standard 33" height. Please plan accordingly.

RODA Warranty

Each RODA Enclosure is custom designed and undergoes several meticulous quality control procedures.

Basco offers a Limited Lifetime Warranty. For exclusions and limitations, please visit www.bascoshowerdoor.com.

All Glass is tempered and meets or exceeds all Federal Laws and specifications. All outside glass edges are polished.

RODA Enclosures are designed to be precision fitted, but some water may escape. With proper positioning of the showerhead, this issue is usually eliminated. Vinyl gaskets are included with most doors to create a tighter seal but installation of this vinyl is optional.

To safeguard the warranty, do not use abrasives or harsh chemicals to clean RODA enclosures. Damage from improper cleaning is not covered under our limited lifetime warranty. The option of AquaGlide^{XP} applied at the factory can keep RODA enclosures looking like new. AquaGlide^{XP} is warranted for ten years.



7201 Snider Road Mason, OH 45040 800.45.BASCO (800.452.2726) 800.989.1919 fax www.bascoshowerdoor.com